

## LOFAR discovers largest carbon atoms outside our Milky Way

October 28 2014



The starburst galaxy M82, the size of the carbon atoms and the observed spectral line. Credit: NASA, ESA, and The Hubble Heritage Team (STScI/AURA)

An international team of astronomers under the guidance of graduate student Leah Morabito of Leiden Observatory has for the first time discovered the largest carbon atoms outside our Milky Way with the



LOFAR radio telescope. In the future astronomers will be able to measure how cold and dense the gas around these atoms is that influences star formation and the evolution of a galaxy. The results are published in the journal *Astrophysical Journal Letters* on October 28th.

"Carbon atoms are about half a million times smaller than the average thickness of a human hair, but they can be a billion times larger in the cold and sparse gas. The outermost electron is then orbiting the nucleus at a much larger distance," explains first author Morabito. The outermost electron can be captured by an atom that is missing an electron. A spectral line will then be visible in the light spectrum. All spectral lines form the chemical fingerprint of an atom such as carbon.

Astronomers predicted in the 70's that the carbon spectral line would be detectable outside our galaxy. This first observation took 40 years to be made. The line is hard to detect because it is too faint when the gas that is surrounding the atoms is too warm or too dense. The cold, sparse gas is present in starburst galaxies—galaxies in which stars form at a high rate. For this reason the carbon spectral line is easier to detect in galaxies of this type.

Most radio telescopes observe at frequencies at which the carbon line can not be detected. Other telescopes are not sensitive enough to detect the spectral lines of the <u>carbon atoms</u> at low frequencies. The LOFAR radio telescope, that stretches from the northeast of the Netherlands across Europe, is perfect for these kind of observations because of its frequency range and sensitivity. Co-author Raymond Oonk from Leiden Observatory en ASTRON: "LOFAR is an unique telescope. This telescope opens up a new window on the universe."

The carbon atoms are present in the heart of the starburst galaxy M82, where 10 times more stars are being born in the same period as in our Milky Way. The cold and sparse gas in this area impacts star formation,



and the evolution of M82. "Since the co-discovery of the hydrogen 21-cm line by Dutch, American and Australian astronomers, we have been looking for a way to determine additional properties of the cold gas such as its temperature and density. It is fantastic that we now have found a way thanks to this carbon line. We can now collect more and better observations, and compare them to predictions from theoretical models," says co-author Huub Röttgering (Leiden Observatory).

**More information:** "Discovery of Carbon Radio Recombination Lines in M82," Leah K. Morabito et al., *Astrophysical Journal Letters*, 28 October 2014 DOI: 10.1088/2041-8205/795/2/L33. arxiv.org/abs/1410.1544

## Provided by Netherlands Research School for Astronomy

Citation: LOFAR discovers largest carbon atoms outside our Milky Way (2014, October 28) retrieved 3 May 2024 from https://phys.org/news/2014-10-lofar-largest-carbon-atoms-milky.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.