


The mystery of why Ag-Rh alloy nanoparticles have a similar property to Pd

October 29 2014



Credit: The National Institute for Materials Science (NIMS)

A research team at the National Institute for Materials Science has made the first observation of the electronic structure in silver-rhodium (Ag-Rh) alloy nanoparticles to investigate why the alloy possesses a hydrogen absorbing/storage property like palladium (Pd) does, given that bulk Ag and Rh do not form an alloy, and that neither element alone is a hydrogen absorbing/storage metal. It is expected that these results will further promote the creation of novel functional materials through the fusion of different elements, a technique likened to modern-day



alchemy.

In the periodic table of elements, Pd is located between Rh and Ag, two elements incapable of absorbing/storage hydrogen. Bulk Ag and Rh are unable to form alloys. Only when these elements are arranged to be about 10 to 20 nanometers in size, they are capable of forming alloys, and $Ag_{0.5}Rh_{0.5}$ alloy nanoparticles with a 1-to-1 Ag-Rh content ratio store hydrogen like Pd does. However, it had been unknown why $Ag_{0.5}Rh_{0.5}$ alloy nanoparticles possessed such an unexpected property. It is critical, in terms of gaining fundamental knowledge in material development, to experimentally and theoretically understand the electronic structure of Ag-Rh alloy nanoparticles, which is believed to be closely associated with the hydrogen absorbing/storage property.

The research team examined the electronic structure of the valence band in Ag-Rh alloy nanoparticles by taking measurements using high resolution photoelectron spectroscopy that emits high-brilliant synchrotron radiation and by conducting theoretical calculations. It is extremely difficult to examine the internal electronic structure of the particles that are about 10 to 20 nanometers in diameter by taking measurements in the laboratory equipped with photoelectron spectroscopy that emits (soft) X-rays with low energy. Therefore, we used (hard) X-rays at the NIMS's beamline housed in the world's largest synchrotron radiation facility (SPring-8). In addition, we accurately interpreted the results of the experiment based on calculated spectra which is proportional in electron density of states. Consequently, we found that Ag-Rh alloy nanoparticles are not merely a mixture of Ag and Rh at a microscopic level, but are a merging of the two elements at the atomic level, and that their electronic structure is nearly identical to that of Pd. The fact that Ag-Rh alloy nanoparticles absorb hydrogen appears to be related to the similarity in electronic structure between the Ag-Rh alloy and Pd.



These results indicate that Ag-Rh alloy nanoparticles are not only capable of absorbing/storage <u>hydrogen</u> due to their <u>electronic structure</u>, but they also may serve as a useful catalyst. In the future, we are planning to advance joint research on characteristics and physical properties of the material. In addition, we intend to provide data on electronic structures and atomic arrangements to industries so that they can take advantage of various new functional materials to be developed besides Ag-Rh alloy <u>nanoparticles</u>. Furthermore, we will establish a foundation to carry out research on design-based materials using proper data (materials informatics).

More information: "The valence band structure of Ag_xRh_{1-x} alloy nanoparticles." *Appl. Phys. Lett.* 105, 153109 (2014); <u>dx.doi.org/10.1063/1.4896857</u>

Provided by National Institute for Materials Science

Citation: The mystery of why Ag-Rh alloy nanoparticles have a similar property to Pd (2014, October 29) retrieved 25 April 2024 from <u>https://phys.org/news/2014-10-mystery-ag-rh-alloy-nanoparticles-similar.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.