

Solar dimming caused by air pollution increases river-flows

October 5 2014



Image: USGS

A study published in *Nature Geoscience* shows that air pollution has had a significant impact on the amount of water flowing through many rivers in the northern hemisphere.

The paper shows how such pollution, known as aerosols, can have an impact on the natural environment and highlights the importance of considering these factors in assessments of future climate change.

The research resulted from a collaboration between scientists at the Met Office, Centre for Ecology and Hydrology, University of Reading, Laboratoire de Météorologie Dynamique in France, and the University of Exeter.



Nicola Gedney, from the Met Office and lead author of the paper, said: "We detect the impact of solar dimming on enhanced river flows over regions in the heavily industrialised northern extra-tropics. We estimate that, in the most polluted central Europe <u>river basin</u>, this effect led to an increase in river flow of up to 25% when the aerosol levels were at their peak, around 1980. With water shortages likely to be one of the biggest impacts of climate change in the future, these findings are important in making projections for the future."

It is already established that increased burning of sulphurous coal up to the late 1970s led to additional aerosols in the atmosphere. These are reflective and therefore reduce the amount of sunlight reaching the Earth's surface, an effect known as 'solar dimming'.

This dimming then started to reverse in Europe and North America with the introduction of clean air legislation and a widespread switch to cleaner fuels.

In the new study, researchers found that solar dimming increased river flows relative to that expected from surface meteorology, as the reduced amount of sunlight affected the rate of evaporation from the Earth's surface. When the dimming began to reverse, reductions in river-flows were observed.

Chris Huntingford, one of the paper co-authors based at the Centre for Ecology and Hydrology, said: "This study involved using detection and attribution techniques which were able to show a link between aerosols and changes in river flows.

"These studies normally involve looking at how different factors affect temperature, but here we've been able to attribute this man-made influence to an environmental impact."



The study also tested for the effects of deforestation and carbon dioxide increases on <u>river-flow</u>.

"In addition we find a further indication that increases in carbon dioxide may have increased river-flows by reducing water loss from plants", said co-author Peter Cox from the University of Exeter.

More information: *Nature Geoscience*, <u>dx.doi.org/10.1038/ngeo2263</u>

Provided by University of Exeter

Citation: Solar dimming caused by air pollution increases river-flows (2014, October 5) retrieved 27 April 2024 from <u>https://phys.org/news/2014-10-solar-dimming-air-pollution-river-flows.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.