


Spontaneous wave function collapse can suppress acoustic Schrodinger cat states

October 28 2014, by Lisa Zyga



Schrödinger's cat: a cat, a flask of poison, and a radioactive source are placed in a sealed box. If an internal monitor detects radioactivity (i.e. a single atom decaying), the flask is shattered, releasing the poison that kills the cat. The Copenhagen interpretation of quantum mechanics implies that after a while, the cat is simultaneously alive and dead. Yet, when one looks in the box, one sees the cat either alive or dead, not both alive and dead. This poses the question of when exactly quantum superposition ends and reality collapses into one possibility or the other. Credit: Wikipedia / CC BY-SA 3.0

(Phys.org) —Schrödinger's famous thought experiment in which a cat hidden in a box can be both dead and alive at the same time demonstrates the concept of superposition on the macroscopic scale.

However, the existence of such "cat states" (or simply "Cats") would be problematic in reality, as cat states not only go against common sense, but also pose problems for understanding gravity and spacetime.

"Different people emphasize different concerns about Cats," Lajos Diósi, a physicist at the Wigner Research Center for Physics in Budapest, Hungary, told *Phys.org*. "Some people emphasize different ones at different times. So, allow me to pick up two arguments. Penrose (in my words): A Cat implies [superposition](#) of macroscopically different spacetimes, making physical time elusive. Myself: If we measure a Cat state a la von Neumann (why not?), then the collapse will macroscopically violate many conservation laws."

To address such problems, Diósi has expanded upon a model in which gravity-related spontaneous wave function collapses can suppress Schrödinger cat states, forcing them to take on only one value. Diósi's paper on suppressing cat states is published in a recent issue of the *New Journal of Physics*.

Several years ago, Diósi and Sir Roger Penrose each independently derived a model which can cause the spontaneous collapse of a cat state. This model came to be known as the DP model. According to the model, the measure of "catness" can be quantified as the difference between the two gravitational fields corresponding to the two states that make up a cat state. The greater the catness, the shorter the cat state's decay time.

Traditionally, the DP model is applied to single macroscopic degrees of freedom, such as the center of mass of a macroscopic object. In the new paper, Diósi has for the first time derived the DP model for the acoustic degree of freedom of a macroscopic object. Basically, he shows that macroscopic excitations, or sound waves, vibrating inside a macroscopic object such as a large rock will spontaneously decohere, meaning any acoustic cat states will collapse. The findings open up new perspectives

on the concept of macroscopic superposition.

"Spontaneous models are usually thought to influence bodies under extreme isolated conditions [at very cold temperatures]," Diósi said. "I discussed the possibility that the DP [model](#) might be significant in common phenomena. I don't mean a directly testable effect in acoustic waves, I mean a first step toward a theoretical search for parametric regimes where spontaneous collapse acts in the common matter of a common state."

More information: Lajos Diósi. "Gravity-related spontaneous wave function collapse in bulk matter." *New Journal of Physics*. DOI: [10.1088/1367-2630/16/10/105006](https://doi.org/10.1088/1367-2630/16/10/105006)

© 2014 Phys.org

Citation: Spontaneous wave function collapse can suppress acoustic Schrodinger cat states (2014, October 28) retrieved 17 July 2024 from <https://phys.org/news/2014-10-spontaneous-function-collapse-suppress-acoustic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--