

# Comet lander ends up in cliff shadow (Update)

November 13 2014, by Frank Jordans

---



The combination photo of different images taken with the CIVA camera system released by the European Space Agency ESA on Thursday Nov. 13, 2014 shows Rosetta's lander Philae as it is safely on the surface of Comet 67P/Churyumov-Gerasimenko, as these first CIVA images confirm. One of the lander's three feet can be seen in the foreground. Philae became the first spacecraft to land on a comet when it touched down Wednesday on the comet, 67P/Churyumov-Gerasimenko. (AP Photo/Esa/Rosetta/Philae)

A shadow was cast—literally—across Europe's historic mission to land on and explore a comet. Scientists said Thursday the landing craft not only bounced twice, it also came to rest next to a cliff that's blocking

sunlight from its solar panels.

The good news is that the lander Philae is stable and in good health: Its scientific instruments have already begun gathering reams of data to send back to Earth, including the first pictures taken from the surface of a comet.

The bad news is that its useful lifetime may now be much shorter.

With just a day or two left before the lander's primary battery is exhausted, scientists were considering what acrobatic maneuvers to risk in order to get the solar panels out of the shadows so they can keep Philae going for a few more months.

The first photos sent back to Earth revealed the comet's rocky terrain, including an image that showed one of the lander's three feet in the corner of the frame. They indicate that Philae's instruments are working properly, said Jean-Pierre Bibring, the lander's lead scientist at the European Space Agency.

Before deciding whether to try to adjust the lander, scientists will spend the next day or two collecting as much data as possible while its primary battery still has energy. The lander's solar panels were designed to provide an extra hour of battery life each day after that, but this may not be possible now.

"We see that we get less solar power than we planned for," said Koen Geurts of the lander team.

"This, of course, has an impact on our ... capabilities to conduct science for an extended period of time," he said. "Unfortunately this is not a situation that we were hoping for."

The lander scored a cosmic first Wednesday, touching down on comet 67P/Churyumov-Gerasimenko after a decade-long, 4 billion-mile (6.4 billion-kilometer) journey through space aboard its mother ship, Rosetta. The comet is streaking through space at 41,000 mph some 311 million miles from Earth.



This image released by the European Space Agency ESA Thursday Nov. 13, 2014 was taken by Philae's down-looking descent ROLIS imager when it was about 40 meters (131 feet) above the surface of Comet 67P/Churyumov-Gerasimenko Wednesday. It shows that the surface of the comet is covered by dust and debris ranging from mm to metre sizes. The large block in the top right

corner is 5 m in size. In the same corner the structure of the Philae landing gear is visible. The lander scored a historic first Wednesday, touching down on comet 67P/Churyumov-Gerasimenko after a decade-long, 6.4 billion-kilometer (4 billion-mile) journey through space aboard its mother ship, Rosetta. The comet is streaking through space at 41,000 mph (66,000 kph) some 311 million miles (500 million kilometers) from Earth. (AP Photo/Esa,Rosetta,Philae)

The landing was beset by a series of problems that began when thrusters meant to push Philae onto the comet failed. Then two harpoons, which should have anchored the lander to the surface, weren't deployed.

This caused the lander to bounce off the comet and drift through the void for two hours before touching down again. After a second smaller bounce, scientists believe it came to rest in a shallow crater on the comet's 2½ mile-wide body, or nucleus.


"We are just in the shadow of a cliff," Bibring said, adding that photos indicate the cliff could be just a few yards (meters) away. "We are in a shadow permanently, and that is part of the problem."

Bibring and his colleagues stressed that the data they'll be able to collect with the primary batteries alone will have made the landing worthwhile.

"A lot of science is getting covered now," he said, noting that soon scientists will get their hands on a tomography of the comet and data showing whether the matter it is made of is magnetized.

But because the lander is just resting on the comet with nothing but low gravity holding it down, Philae will have to hold off on one of the most important experiments—drilling into the comet to extract some of the material buried beneath the surface.

Scientists want to analyze this material because it has remained almost unchanged for 4.5 billion years, making it something of a cosmic time capsule.




This image from Rosetta's OSIRIS narrow-angle camera, released by the European Space Agency ESA on Thursday Nov. 13, 2014 shows the Philae lander a Wednesday Nov. 12, 2014 The image shows details of the lander, including the deployment of the three legs and of the antennas. The lander scored a historic first Wednesday, touching down on comet 67P/Churyumov-Gerasimenko after a decade-long, 6.4 billion-kilometer (4 billion-mile) journey through space aboard its mother ship, Rosetta. The comet is streaking through

space at 41,000 mph (66,000 kph) some 311 million miles (500 million kilometers) from Earth. (AP Photo/ESA/Rosetta/Philae)

"Drilling without being anchored and without knowing how you are on the surface is dangerous. We might just tip over the lander," said Stephan Ulamec, head of operations for Philae. Gravity on the comet is 1/100,000th that of Earth, meaning the washing machine-sized lander weighs just 0.04 ounces (1 gram) there.

Ground controllers will likely wait until the first big batch of data has been collected before attempting to adjust the lander so that its solar panels can catch the sun and charge its batteries.

Communication with the lander is slow, with signals taking more than 28 minutes to travel between Earth and the Rosetta orbiter flying above the comet.




Rosetta's OSIRIS wide-angle camera image released by the European Space Agency ESA on Thursday Nov. 13, 2014 shows the position of Rosetta's lander Philae Wednesday, before it landed on the surface of Comet 67P/Churyumov-Gerasimenko. Source digitally added a circle to mark the landers location. The lander scored a historic first Wednesday, touching down on comet 67P/Churyumov-Gerasimenko after a decade-long, 6.4 billion-kilometer (4 billion-mile) journey through space aboard its mother ship, Rosetta. The comet is streaking through space at 41,000 mph (66,000 kph) some 311 million miles (500 million kilometers) from Earth. (AP Photo/Esa/Rosetta/Philae)

Even if Philae uses up all its energy, it will remain on the comet in a



mode of hibernation for the coming months. The comet is on a 6½-year elliptical orbit around the sun, and at the moment it is getting closer. So, in theory, Philae could wake up again if the comet passes the sun in such a way that the solar panels catch more light, Ulamec said.

Meanwhile, the Rosetta orbiter will also use its 11 instruments to analyze the comet over the coming months. Scientists hope the \$1.6 billion (1.3 billion euro) project will help them better understand comets and other celestial objects, as well as possibly answer questions about the origins of life on Earth.



This five-image montage of Rosetta's OSIRIS narrow-angle images , released by the European Space Agency ESA on Thursday Nov. 13, 2014 , is being used to try to identify the final touchdown point of Rosetta's lander Philae. The images were taken around the time of landing on November 12 when Rosetta was about 18 km (11 miles) from the center of Comet 67P/Churyumov-Gerasimenko



(about 16 km from the surface). ESA digitally marked the supposed landing area with a cross. The lander scored a historic first Wednesday, touching down on comet 67P/Churyumov-Gerasimenko after a decade-long, 6.4 billion-kilometer (4 billion-mile) journey through space aboard its mother ship, Rosetta. The comet is streaking through space at 41,000 mph (66,000 kph) some 311 million miles (500 million kilometers) from Earth. (AP Photo/ESA/Rosetta/Philae)



French National Centre for Space Studies (CNES) president Jean-Yves Le Gall, second left, French President Francois Hollande, center, and former French minister and astronaut Claudie Haignere, right, wear 3D glasses as they visit the Cite des Sciences at La Villette during a broadcast of the Rosetta mission as it orbits around comet 67/P Churyumov-Gersimenko in Paris, Wednesday, Nov. 12, 2014. Hundreds of millions of miles from Earth, a European spacecraft made history Wednesday by successfully landing on the icy, dusty surface of a speeding comet—an audacious first designed to answer big questions about the universe. (AP Photo/Jacques Brinon, Pool)



From left, French Education Minister Najat Vallaud-Belkacem, French National Centre for Space Studies (CNES) president Jean-Yves Le Gall, 2nd left, French President Francois Hollande, center, with French astrophysicist Francis Rocard look at a model of Rosetta lander Philae as they visit the Cite des Sciences at La Villette during a broadcast of the Rosetta mission as it orbits around comet 67/P Churyumov-Gersimenko in Paris, Wednesday, Nov. 12, 2014. Hundreds of millions of miles from Earth, a European spacecraft made history Wednesday by successfully landing on the icy, dusty surface of a speeding comet—an audacious first designed to answer big questions about the universe. (AP Photo/Jacques Brinon, Pool)

© 2014 The Associated Press. All rights reserved.

Citation: Comet lander ends up in cliff shadow (Update) (2014, November 13) retrieved 26 April 2024 from <https://phys.org/news/2014-11-comet-lander-cliff-shadow.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.