

Researchers crack the ice to study the Arctic marine food web

November 20 2014, by Miles O'brien



About 10 million years into the current Cenozoic Era, or roughly 56 million years ago, during a climate that was hot and wet, two groups of mammals moved from land to water. These were the cetaceans, which include whales, dolphins and porpoises, and the sirenians, which include sea cows, manatees and dugongs. Over time, their bodies began to adapt to their new environment. "It's an interesting example of evolution, and a natural experiment you don't normally have," says Mark T. Clementz, an associate professor of paleontology at the University of Wyoming's department of geology and geophysics. "The changes are so extreme, you can't really ignore them. By studying these groups, we can tease out the main environmental factors that affect mammalian groups as they move into a new environment, and a new ecosystem." Credit: Mark Clementz,

Department of Geology and Geophysics, University of Wyoming

Scientists traveled to a town near the top of the world to study a creature at the bottom of the marine food chain—microscopic sea ice algae.

Welcome to Barrow, Alaska, where a team of marine ecologists gears up to hit the sea ice—desolate terrain that is actually teeming with marine life.

With support from the National Science Foundation (NSF), Craig Aumack of Columbia University and a team have come here to investigate how algae in the sea ice contributes to the underlying marine ecosystems, and which [marine organisms](#) depend on the algae for nutrition.

Some algae live dormant in the ice all winter, bloom when the spring sunshine kick-starts a growth cycle, and, eventually, migrate down to the bottom of the ice and enter the water column where they provide a nutritious dietary food source to many marine organisms.

Going forward, the [changing climate](#) could mean disruptions to the sea ice community, as well as loss of the ice habitat itself, likely affecting a near shore Arctic marine food web that begins with algae and ends with much larger creatures, such as whales and polar bears. Aumack says the algae could be considered a "canary in the coal mine" for climate change in the Arctic—early sentinels of a changing ecosystem.

Provided by National Science Foundation

Citation: Researchers crack the ice to study the Arctic marine food web (2014, November 20)

retrieved 19 April 2024 from <https://phys.org/news/2014-11-ice-arctic-marine-food-web.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.