

## LHCb experiment observes two new baryon particles never seen before

November 19 2014



The mass difference spectrum: the LHCb result shows strong evidence of the existence of two new particles the Xi\_b'- (first peak) and Xi\_b\*- (second peak), with the very high-level confidence of 10 sigma. The black points are the signal sample and the hatched red histogram is a control sample. The blue curve represents a model including the two new particles, fitted to the data. Delta\_m is the difference between the mass of the Xi\_b0 pi- pair and the sum of the individual masses of the Xi\_b0 and pi-. INSET: Detail of the Xi\_b'- region plotted with a finer binning.



(Phys.org) —Today the collaboration for the LHCb experiment at CERN's Large Hadron Collider announced the discovery of two new particles in the baryon family. The particles, known as the Xi\_b<sup>-</sup> and Xi\_b<sup>\*-</sup>, were predicted to exist by the quark model but had never been seen before. A related particle, the Xi\_b<sup>\*0</sup>, was found by the CMS experiment at CERN in 2012. The LHCb collaboration submitted a paper reporting the finding to *Physical Review Letters*.

Like the well-known protons that the LHC accelerates, the new <u>particles</u> are baryons made from three quarks bound together by the strong force. The types of quarks are different, though: the new Xi\_b particles both contain one beauty (b), one strange (s), and one down (d) quark. Thanks to the heavyweight b quarks, they are more than six times as massive as the proton. But the particles are more than just the sum of their parts: their mass also depends on how they are configured. Each of the quarks has an attribute called "spin". In the Xi\_b<sup>-</sup> state, the spins of the two lighter <u>quarks</u> point in opposite directions, whereas in the Xi\_b<sup>\*-</sup> state they are aligned. This difference makes the Xi\_b<sup>\*-</sup> a little heavier.

"Nature was kind and gave us two particles for the price of one," said Matthew Charles of the CNRS's LPNHE laboratory at Paris VI University. "The Xi\_b<sup>-</sup> is very close in mass to the sum of its decay products: if it had been just a little lighter, we wouldn't have seen it at all using the decay signature that we were looking for."

"This is a very exciting result. Thanks to LHCb's excellent hadron identification, which is unique among the LHC experiments, we were able to separate a very clean and strong signal from the background," said Steven Blusk from Syracuse University in New York. "It demonstrates once again the sensitivity and how precise the LHCb detector is."

As well as the masses of these particles, the research team studied their



relative production rates, their widths - a measure of how unstable they are - and other details of their decays. The results match up with predictions based on the theory of Quantum Chromodynamics (QCD).

QCD is part of the Standard Model of particle physics, the theory that describes the <u>fundamental particles</u> of matter, how they interact and the forces between them. Testing QCD at high precision is a key to refine our understanding of quark dynamics, models of which are tremendously difficult to calculate.



A pink glow illuminates the inside of this model of the LHC beam pipe, which is used to train engineers and technicians at CERN. Credit: Guillaume Jeanneret/CERN

"If we want to find new physics beyond the Standard Model, we need first to have a sharp picture," said LHCb's physics coordinator Patrick



Koppenburg from Nikhef Institute in Amsterdam. "Such high precision studies will help us to differentiate between Standard Model effects and anything new or unexpected in the future."

The measurements were made with the data taken at the LHC during 2011-2012. The LHC is currently being prepared - after its first long shutdown - to operate at higher energies and with more intense beams. It is scheduled to restart by spring 2015.

**More information:** "Observation of two new Ξ–b baryon resonances." *arXiv*:1411.4849 [hep-ex]. <u>arxiv.org/abs/1411.4849</u>

## Provided by CERN

Citation: LHCb experiment observes two new baryon particles never seen before (2014, November 19) retrieved 1 May 2024 from <u>https://phys.org/news/2014-11-lhcb-baryon-particles.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.