


Lighter, cheaper radio wave device could transform telecommunications

November 10 2014



Researchers at the Cockrell School of Engineering have built a radio wave circulator that has the potential to double the useful bandwidth in wireless communications by enabling full-duplex functionality, meaning devices can transmit and receive signals on the same frequency band at the same time. Credit: Erik Zumalt, Cockrell School of Engineering at The University of Texas at Austin

Researchers at the Cockrell School of Engineering at The University of Texas at Austin have achieved a milestone in modern wireless and cellular telecommunications, creating a radically smaller, more efficient radio wave circulator that could be used in cellphones and other wireless devices, as reported in the latest issue of *Nature Physics*.

The new circulator has the potential to double the useful bandwidth in wireless communications by enabling full-duplex functionality, meaning devices can transmit and receive signals on the same [frequency band](#) at the same time.

The key innovation is the creation of a magnetic-free radio wave circulator.

Since the advent of wireless technology 60 years ago, magnetic-based circulators have been in principle able to provide two-way communications on the same [frequency channel](#), but they are not widely adopted because of the large size, weight and cost associated with using magnets and [magnetic materials](#).

Freed from a reliance on magnetic effects, the new circulator has a much smaller footprint while also using less expensive and more common materials. These cost and size efficiencies could lead to the integration of circulators within cellphones and other microelectronic systems, resulting in substantially faster downloads, fewer dropped calls and significantly clearer communications.

The team of researchers, led by Associate Professor Andrea Alu, has developed a prototype circulator that is 2 centimeters in size—more than 75 times smaller than the wavelength of operation. The circulator may be further scaled down to as small as a few microns, according to the researchers. The design is based on materials widely used in integrated circuits such as gold, copper and silicon, making it easier to integrate in

the circuit boards of modern communication devices.

"We are changing the paradigm with which isolation and two-way transmission on the same frequency channel can be achieved. We have built a circulator that does not need magnets or magnetic materials," Alu said.

The researchers' device works by mimicking the way magnetic materials break the symmetry in wave transmission between two points in space, a critical function that allows magnetic circulators to selectively route radio waves. With the new circulator, the researchers accomplish the same effect, but they replace the magnetic bias with a traveling wave spinning around the device.

Another unique feature is that the new circulator can be tuned in real time over a broad range of frequencies, a major advantage over conventional circulators.

"With this technology, we can incorporate tunable nonreciprocal components in mobile platforms," said Nicholas Estep, lead researcher and a doctoral student in the Department of Electrical and Computer Engineering. "In doing so, we may pave the way to simultaneous two-way communication in the same frequency band, which can free up chunks of bandwidth for more effective use."

For telecommunications companies, which pay for licenses to use frequencies allotted by the U.S. Federal Communications Commission, a more efficient use of the limited available bandwidth means significant cost advantages.

Additionally, because the design of the circulator is scalable and capable of circuit integration, it can potentially be placed in [wireless devices](#).

"We envision micron-sized circulators embedded in cellphone technology. When you consider cellphone traffic during high demand events such as a football game or a concert, there are enormous implications opened by our technology, including fewer dropped calls and clearer communications," Estep said.

The circulator also could benefit other industries that currently use magnetic-based circulators. For instance, circulators used in phased arrays and radar systems for aircraft, ships and satellites can be extremely heavy and large, so minimizing the size of these systems could provide significant savings.

"We are also bringing this paradigm to other areas of science and technology," Alu said. "Our research team is working on using this concept to protect lasers and to create integrated nano-photonic circuits that route light signals instead of [radio waves](#) in preferred directions."

More information: Magnetic-free non-reciprocity and isolation based on parametrically modulated coupled-resonator loops, *Nature Physics*, [DOI: 10.1038/nphys3134](https://doi.org/10.1038/nphys3134)

Provided by University of Texas at Austin

Citation: Lighter, cheaper radio wave device could transform telecommunications (2014, November 10) retrieved 19 April 2024 from <https://phys.org/news/2014-11-lighter-cheaper-radio-device-telecommunications.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--