

Mediterranean meteorological tide has increased by over a millimetre a year since 1989

November 20 2014



Les Rotes beach in Denia (Alicante, Spain). Credit: Echiner1

A new database developed by the University of Cantabria (Spain) provides data on sea level variation due to atmospheric changes in the south of Europe between 1948 and 2009. Over the last two decades sea levels have increased in the Mediterranean basin.

"The meteorological sea level or meteorological tide component is the



variation of the sea level as a result of <u>atmospheric changes</u> or more specifically, changes in the atmospheric pressure and the wind at the sea surface," Alba Cid explains to SINC, Alba being the lead author of the study published in the journal *Climate Dynamics* which analyses 62 years' worth of data for this sea level component.

Cid and her team at the Environmental Hydraulics Institute at the University of Cantabria (Spain) have generated two (long-term and high resolution) time series for meteorological tides in the Atlantic and Mediterranean basins in the south of Europe and the Canary Islands.

In total, they have analysed the trends from 1948 to 2009, reflected in a new Global Ocean Surges (GOS) database. The simulation tool used is the numeric Regional Ocean Modelling System (ROMS) developed by the University of Rutgers (USA).

The results are very different depending on the period. "The trends from 1948 to 1989 are very small and negative in all of the area analysed, which means that the meteorological tide has decreased during this time period," points out Cid.

On the African <u>coast</u> of the Atlantic, the Adriatic coast and the northeast of the Eastern basin, the meteorological component to sea level has decreased by 0.35 millimetres for every year during this period. The trends are weaker on the Spanish coast of the north Atlantic and along the African coast in the Eastern basin of the Mediterranean.

However, over the last two decades, from 1989 to 2009, the trends are positive, or rather sea levels have increased, and to a greater degree. The tides present values of less than 0.5 mm per year in the Atlantic basin and more than 1 mm a year in several areas of the Mediterranean coast.

The GOS database also differentiates between summer and winter in



each time series. According to the study, the trends observed in winter are negative in the areas analysed. The decrease in sea levels is more obvious (1mm per year) in the centre of the Mediterranean and the Adriatic Sea.

The sea level rises in summer, especially in the North Atlantic, the Spanish coast of the Mediterranean and the Tunisian coast. "Although negative trends of 0.3 mm a year can also be observed during this season along the African coast of the Atlantic," the researchers highlight from the study.

Hourly data for 62 years

To validate the results of the numerical simulations, the researchers have compared the data generated every hour from 1948 to 2009 in 58 coastal locations in Spain, Portugal, France, Italy and the Canary Islands, with real data measured by tide gauges and satellites. "The results have allowed us to calculate these long-term trends," adds Cid.

From this work and the data described in the article, the investigators are now analysing the most extreme levels and their relation to climate patterns, such as for example the North Atlantic oscillation (NAO). "We will shortly be publishing an article with the results obtained," concludes the lead author.

More information: Alba et al. "A high resolution hindcast of the meteorological sea level component for Southern Europe: the GOS dataset" *Climate Dynamics* 43 (7-8): 2167-2184 october 2014 <u>DOI:</u> 10.1007/s00382-013-2041-0

Provided by Spanish Foundation for Science and Technology (FECYT)



Citation: Mediterranean meteorological tide has increased by over a millimetre a year since 1989 (2014, November 20) retrieved 2 May 2024 from https://phys.org/news/2014-11-mediterranean-meteorological-tide-millimetre-year.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.