

80 million bacteria sealed with a kiss

November 17 2014



Credit: Bleiglass/ Wikipedia

As many as 80 million bacteria are transferred during a 10 second kiss, according to research published in the open access journal *Microbiome*. The study also found that partners who kiss each other at least nine times a day share similar communities of oral bacteria.

The ecosystem of more than 100 trillion microorganisms that live in our bodies - the microbiome - is essential for the digestion of food,

synthesizing nutrients, and preventing disease. It is shaped by genetics, diet, and age, but also the individuals with whom we interact. With the mouth playing host to more than 700 varieties of bacteria, the oral [microbiota](#) also appear to be influenced by those closest to us.

Researchers from Micropia and TNO in the Netherlands studied 21 couples, asking them to fill out questionnaires on their kissing behaviour including their average intimate [kiss](#) frequency. They then took swab samples to investigate the composition of their oral microbiota on the tongue and in their saliva.

The results showed that when couples intimately kiss at relatively high frequencies their salivary microbiota become similar. On average it was found that at least nine intimate kisses per day led to couples having significantly shared salivary microbiota.

Lead author Remco Kort, from TNO's Microbiology and Systems Biology department and adviser to the Micropia museum of microbes, said: "Intimate kissing involving full tongue contact and saliva exchange appears to be a courtship behavior unique to humans and is common in over 90% of known cultures. Interestingly, the current explanations for the function of intimate kissing in humans include an important role for the microbiota present in the oral cavity, although to our knowledge, the exact effects of intimate kissing on the oral microbiota have never been studied. We wanted to find out the extent to which partners share their oral microbiota, and it turns out, the more a couple kiss, the more similar they are."

In a controlled kissing experiment to quantify the transfer of bacteria, a member of each of the couples had a probiotic drink containing specific varieties of bacteria including Lactobacillus and Bifidobacteria. After an intimate kiss, the researchers found that the quantity of [probiotic bacteria](#) in the receiver's saliva rose threefold, and calculated that in total

80 million bacteria would have been transferred during a 10 second kiss.

The study also suggests an important role for other mechanisms that select oral microbiota, resulting from a shared lifestyle, dietary and personal care habits, and this is especially the case for microbiota on the tongue. The researchers found that while tongue microbiota were more similar among partners than unrelated individuals, their similarity did not change with more frequent kissing, in contrast to the findings on the saliva microbiota.

Commenting on the kissing questionnaire results, the researchers say that an interesting but separate finding was that 74% of the men reported higher intimate kiss frequencies than the women of the same couple. This resulted in a reported average of ten kisses per day from the males, twice that of the female reported average of five per day.

To calculate the number of [bacteria](#) transferred in a kiss, the authors relied on average transfer values and a number of assumptions related to bacterial transfer, the kiss contact surface, and the value for average saliva volume.

More information: Shaping the oral microbiota through intimate kissing , Remco Kort, Martien Caspers, Astrid van de Graaf, Wim van Egmond, Bart Keijsers and Guus Roeselers , *Microbiome* 2014, 2:41, www.microbiomejournal.com/content/2/1/41

Provided by BioMed Central

Citation: 80 million bacteria sealed with a kiss (2014, November 17) retrieved 23 April 2024 from <https://phys.org/news/2014-11-million-bacteria.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.