

Pesticides linger longer in greenhouse crops

November 19 2014



Researchers writing in the journal *Chemosphere* this week found that crops typically grown under glasshouses and poly-tunnels had higher



levels and numbers of different pesticides in them than those typically grown in the open.

They analysed pesticide data in food taken from various points in the food chain and 'paired up' produce – for example strawberries, which are typically grown undercover, were paired with berries such as gooseberries which are typically grown outside.

They then measured the number and level of pesticides found in each sample and compared the results.

Key findings included:

- Crops grown under some form of protection had a significantly greater number of detectable pesticide residues than similar crops grown in the open field
- Average concentrations of those pesticides which typically degrade in sunlight were higher in the crops grown under cover compared to the open field crops
- Greater exceedances of acceptable <u>levels</u> (maximum residue levels) were evident in lettuce (grown under cover) compared to cabbage (open field)

Lancaster University's Dr Cris Halsall, lead author of the study, said: "Consumers are very interested in pesticide levels in their food so growers also take a very keen interest in keeping levels to a minimum – even when this is well below acceptable levels. At the same time we are developing techniques which are increasingly sensitive and good at detecting small changes in pesticide levels. This new research will help build up a clearer picture of how <u>pesticides</u> behave under glass and in poly-tunnels. Pesticide-use regimes in closed-cropping systems should be reviewed to help reduce post-harvest residues on salad and soft fruit."



More information: DOI: 10.1016/j.chemosphere.2014.10.066

Provided by Lancaster University

Citation: Pesticides linger longer in greenhouse crops (2014, November 19) retrieved 26 April 2024 from https://phys.org/news/2014-11-pesticides-linger-longer-greenhouse-crops.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.