

Some plants regenerate by duplicating their DNA

November 11 2014



Some cultivars of the plants *Arabidopsis thaliana* (used in the study) and *Ipomopsis aggregata* (pictured here) can duplicate their genomes multiple times without undergoing cell division. Credit: L. Brian Stauffer

When munched by grazing animals (or mauled by scientists in the lab), some herbaceous plants overcompensate - producing more plant matter and becoming more fertile than they otherwise would. Scientists say they now know how these plants accomplish this feat of regeneration.

They report their findings in the journal *Molecular Ecology*.

Their study is the first to show that a plant's ability to dramatically rebound after being cut down relies on a process called genome duplication, in which individual cells make multiple copies of all of their genetic content.


Genome duplication is not new to science; researchers have known about the phenomenon for decades. But few have pondered its purpose, said University of Illinois animal biology professor Ken Paige, who conducted the study with postdoctoral researcher Daniel Scholes.

"Most [herbaceous plants](#) - 90 percent - duplicate their genomes," Paige said. "We wanted to know what this process was for."

In a [2011 study](#), Paige and Scholes demonstrated that [plants](#) that engage in rampant genome duplication also rebound more vigorously after being damaged. The researchers suspected that genome duplication was giving the plants the boost they needed to overcome adversity.

That study and the new one focused on *Arabidopsis thaliana*, a plant in the mustard family that often is used as a laboratory subject. Some *Arabidopsis* plants engage in [genome duplication](#) and others don't. Those that do can accumulate dozens of copies of all of their chromosomes in individual cells.

In the new study, Scholes crossed *Arabidopsis* plants that had the ability to duplicate their genomes with those that lacked this ability. If the relationship between DNA duplication and regeneration was mere happenstance, the association between the two should disappear in their offspring, Scholes said.



Animal biology professor Ken Paige (left) and postdoctoral fellow Daniel Scholes found that a plant's ability to duplicate its genome within individual cells influences its ability to regenerate. Credit: L. Brian Stauffer

"But the association persisted in the offspring," he said. "That's the first line of evidence that these two traits seem to be influencing each other."

To further test the hypothesis, Scholes experimentally enhanced an *Arabidopsis* plant's ability to duplicate its genome. He chose a line that lacked that ability and that also experienced a major reduction in fertility after being grazed.

As expected, the altered plant gained the ability to vigorously rebound after being damaged, the researchers reported.

"We were able to completely mitigate the otherwise detrimental effects of damage," Scholes said. "There was no difference in fertility between damaged and undamaged plants."

Genome duplication enlarges cells and provides more copies of

individual genes, likely increasing the production of key proteins and other molecules that drive cell growth, Scholes said. Future studies will test these ideas, he said.

More information: "Plasticity in ploidy underlies plant fitness compensation to herbivore damage," [onlinelibrary.wiley.com/doi/10 ... 1/mec.12894/abstract](https://onlinelibrary.wiley.com/doi/10.1111/mec.12894/abstract)

Provided by University of Illinois at Urbana-Champaign

Citation: Some plants regenerate by duplicating their DNA (2014, November 11) retrieved 17 April 2024 from <https://phys.org/news/2014-11-regenerate-duplicating-dna.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.