

Scientists show plague outbreaks linked to El Niño climate conditions

November 20 2014



Larger plague outbreaks are associated with increasing El Niño conditions in Madagascar

Scientists at the University of Liverpool have found that outbreaks of plague in Madagascar are linked to a naturally occurring climate event in the tropical Pacific.

The El Niño Southern Oscillation (ENSO) is an ocean-atmosphere fluctuation of air pressure and [sea surface](#) temperature that occurs thousands of miles distant in the Pacific Ocean. The team have shown

that large outbreaks of plague tend to coincide with the timing of ENSO events.

Analysing a unique 48-year dataset on the occurrence of human plague across the island, they found that for much of this period, ENSO cycled on a two to five year time scale, with a similar period being detected for plague outbreaks.

Professor Matthew Baylis, from the University's Institute of Infection and Global Health, said: "The work is a first step in using climate data to help predict human plague incidence in Madagascar.

"Plague, which is a highly virulent zoonotic disease present today in the Americas, Asia, and Africa, has caused several world-wide pandemics, the most infamous being the 'Black Death'."

Rainy years

Larger plague outbreaks were associated with increasing El Niño conditions. An association, although less strong than El Niño, was also found between the Indian Ocean Dipole or IOD – a local fluctuation in sea surface temperatures – and plague.

These ENSO and IOD associations appear to be mediated mostly by effects on Madagascar's temperature patterns, although larger plague [outbreaks](#) were also associated with rainy years.

Professor Baylis said: "The global burden of plague is now low, but in recent years the disease has increased in frequency in some parts of the world. Presently Africa accounts for more than nine-tenths, and Madagascar one-third, of all human plague cases reported worldwide.

"If we can predict when it is going to happen, health and environmental

authorities can prepare more effectively to prevent the spread of infection."

The study also highlighted that major ENSO and IOD events, occurring every few years in an irregular pattern, tended to alter the temperature and rainfall of Madagascar. This can have significant effects on the populations of rodents that carry [plague](#) on the island, as well as the fleas that spread the infection.

Provided by University of Liverpool

Citation: Scientists show plague outbreaks linked to El Nino climate conditions (2014, November 20) retrieved 17 May 2024 from

<https://phys.org/news/2014-11-scientists-plague-outbreaks-linked-el.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--