


Mixed nanoparticle systems may help purify water and generate hydrogen

December 17 2014



Improved photocatalyst microparticles containing gold nanoparticles can be used to purify water. Credit: A*STAR Institute of Materials Research and Engineering

A new catalyst could have dramatic environmental benefits if it can live up to its potential, suggests research from Singapore. A*STAR researchers have produced a catalyst with gold-nanoparticle antennas that can improve water quality in daylight and also generate hydrogen as a green energy source.

This [water](#) purification technology was developed by He-Kuan Luo, Andy Hor and colleagues from the A*STAR Institute of Materials Research and Engineering (IMRE). "Any innovative and benign technology that can remove or destroy organic pollutants from water under ambient conditions is highly welcome," explains Hor, who is executive director of the IMRE and also affiliated with the National University of Singapore.

Photocatalytic materials harness sunlight to create electrical charges, which provide the energy needed to drive [chemical reactions](#) in molecules attached to the catalyst's surface. In addition to decomposing harmful molecules in water, photocatalysts are used to split water into its components of oxygen and hydrogen; hydrogen can then be employed as a green energy source.

Hor and his team set out to improve an existing catalyst. Oxygen-based compounds such as strontium titanate (SrTiO_3) look promising, as they are robust and stable materials and are suitable for use in water. One of the team's innovations was to enhance its catalytic activity by adding small quantities of the metal lanthanum, which provides additional usable electrical charges.

Catalysts also need to capture a sufficient amount of sunlight to catalyze chemical reactions. So to enable the photocatalyst to harvest more light, the scientists attached [gold nanoparticles](#) to the lanthanum-doped SrTiO_3 microspheres (see image). These gold nanoparticles are enriched with electrons and hence act as antennas, concentrating light to accelerate the catalytic reaction.

The porous structure of the microspheres results in a [large surface area](#), as it provides more binding space for organic molecules to dock to. A single gram of the material has a [surface area](#) of about 100 square meters. "The large surface area plays a critical role in achieving a good

photocatalytic activity," comments Luo.

To demonstrate the efficiency of these catalysts, the researchers studied how they decomposed the dye rhodamine B in water. Within four hours of exposure to visible light 92 per cent of the dye was gone, which is much faster than conventional catalysts that lack gold nanoparticles.

These microparticles can also be used for water splitting, says Luo. The team showed that the microparticles with gold nanoparticles performed better in water-splitting experiments than those without, further highlighting the versatility and effectiveness of these microspheres.

More information: Wang, G., Wang, P., Luo, H.-K. & Hor, T. S. A. "Novel Au/La-SrTiO₃ microspheres: Superimposed effect of gold nanoparticles and lanthanum doping in photocatalysis." *Chemistry – An Asian Journal* 9, 1854–1859 (2014). [dx.doi.org/10.1002/asia.201402007](https://doi.org/10.1002/asia.201402007)

Provided by Agency for Science, Technology and Research (A*STAR), Singapore

Citation: Mixed nanoparticle systems may help purify water and generate hydrogen (2014, December 17) retrieved 23 April 2024 from <https://phys.org/news/2014-12-nanoparticle-purify-hydrogen.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--