

## NASA measures Typhoon Hagupit's Philippine rainfall from space

December 9 2014, by Rob Gutro



This analysis of rainfall from Dec. 1-8, 2014 showed rainfall totals of over 450 mm (17.5 inches) in a few areas in the eastern Philippines near where Hagupit came ashore. Rainfall amounts of over 200mm (almost 8 inches) were common. Credit: NASA/JAXA, SSAI, Hal Pierce



As of Dec. 8, Super Typhoon Hagupit has caused up to 27 deaths. Early reports indicate the Philippines has been spared the widespread destruction caused by Super Typhoon Haiyan in 2013. Hagupit (called Ruby in the Philippines) forward motion slowed on December 4, 2014 before reaching the Philippines. After hitting Samar in the eastern Philippines Hagupit's continued slow movement resulted in high rainfall amounts along the typhoon's track. These high rainfall totals meant that flooding occurred frequently along the typhoon's track.

When NASA/Japan Aerospace Exploration Agency's Tropical Rainfall Measuring Mission (TRMM) satellite flew over Hagupit on December 8, 2014 at 0132 UTC (Dec. 7 at 8:32 p.m. EST) its Microwave Imager (TMI) instrument collected data used in a <u>rainfall analysis</u>. The slow moving typhoon had weakened to a tropical storm but was still dropping light to moderate rainfall. Its center appeared to be in the northern Sibuyan Sea, located between the islands of the central and northern Philippines.

At NASA's Goddard Space Flight Center in Greenbelt, Maryland the TRMM science team created a preliminary analysis of rainfall from December 1 through 8, 2014) using merged satellite <u>rainfall</u> data (from TRMM and other satellites) Rainfall totals of over 450 mm (17.5 inches) were found in a few areas in the eastern Philippines near where Hagupit came ashore. Rainfall amounts of over 200mm (almost 8 inches) were common.

The International Space Station-RapidScat instrument captured data on Hagupit's winds on Dec. 8 at 08:30 UTC (3:30 a.m. EST/4:30 p.m. Manila local time). The RapidScat image showed sustained winds of 45 to 50 mph east of Luzon, over the Philippine Sea.



On Dec. 8 at 05:35 UTC NASA's Aqua satellite saw the center of Tropical Storm Hagupit in the South China Sea, east of the Philippines Region IV-B of Mimaropa.

By 1500 UTC (10 a.m. EST/11 p.m. local Manila time) on Dec. 8, Hagupit's maximum sustained winds had dropped to 40 knots (46 mph/74 kph). It was centered near 13.4 north longitude and 118.1 east latitude. That's about 157 nautical miles (181 miles/291 km) westsouthwest of Manila and in the South China Sea. Hagupit was moving to the west at 7 knots (8 mph/13 kph) and is expected turn to the westsouthwest over the next two days.

Hagupit is expected to maintain <u>tropical storm</u> strength over the next day before weakening to a tropical depression upon its approach to southern Vietnam. Forecasters at the Joint Typhoon Warning Center expect that the storm will make landfall near Ho Chi Minh City, Vietnam as a depression early on Dec. 12.





The TRMM satellite flew over Hagupit on Dec. 8, 2014 at 0132 UTC and was dropping light to moderate rainfall. Its center appeared to be in the northern Sibuyan Sea, located between the islands of the central and northern Philippines. Credit: NASA/JAXA, SSAI, Hal Pierce





On Dec. 8 at 05:35 UTC NASA's Aqua satellite saw the center of Tropical Storm Hagupit in the South China Sea, east of the Philippines Region IV-B of Mimaropa. Credit: NASA Goddard MODIS Rapid Response

## Provided by NASA's Goddard Space Flight Center

Citation: NASA measures Typhoon Hagupit's Philippine rainfall from space (2014, December 9) retrieved 23 May 2024 from <u>https://phys.org/news/2014-12-nasa-typhoon-hagupit-philippine-rainfall.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.