

# Tracking the Fukushima radioactivity plume across the Pacific

December 31 2014, by Deborah Netburn, Los Angeles Times

---



Credit: Tiago Fioreze / Wikipedia

How long did it take a radioactive plume to travel the waters of the Pacific from Fukushima, Japan, to the shores of North America?

The answer, according to a new study published in *PNAS*, is about 2.1 years.

After an earthquake-triggered tsunami damaged the Fukushima Daiichi nuclear power plant in March 2011, a team of Canadian scientists saw an opportunity to put models of Pacific Ocean current speeds to the test.

After the tsunami struck, the plant released cesium 134 and cesium 137 into the ocean. The researchers knew that a small percentage of this radioactive material would be carried by currents across the Pacific, eventually reaching the [west coast](#) of North America.

Computer models could predict when this might happen, but by taking actual samples of the [ocean water](#) and testing them for cesium 134 and cesium 137 the scientists could see for certain when it happened.

"We had a situation where the radioactive tracer was deposited at a very specific location off the coast of Japan at a very specific time," said John Smith, a research scientist at the Bedford Institute of Oceanography in Dartmouth, Nova Scotia, and the lead author of the paper.

"It was kind of like a dye experiment," he added. "And it is unambiguous - you either see the signal or you don't, and when you see it you know exactly what you are measuring."

Just three months after the tsunami, Smith and his team began sampling ocean water from as far as 1,500 kilometers (930 miles) off the coast of British Columbia. They took measurements from the same sites every June from 2011 to 2013, collecting 60 liters of water and then analyzing it for traces of cesium 134 and [cesium 137](#).

In June of 2011 they detected no signature from the Fukushima disaster at any of the test sites. In June of 2012 they found small amounts of the Fukushima radiation at the westernmost station, but it had not moved any closer to shore. By June of 2013, however, it had spread all the way to the continental shelf of Canada.

The amount of radiation that finally made it to Canada's west coast by June 2013 was very small - less than 1 Becquerels per cubic meter. (Becquerels are the number of decay events per second per 260 gallons of water.) That is more than 1,000 times lower than acceptable limits in drinking water, according to the Environmental Protection Agency.

Computer models that match fairly closely with the hard data that Smith collected suggest that the amount of radiation will peak in 2015 and 2016 in British Columbia, but it will never exceed about 5 Becquerels per cubic meter.

"Those levels of [cesium](#) 137 are still well below natural levels of radioactivity in the ocean," said Smith.

Because of the structure of the currents, the radiation levels in Southern California are expected to peak a few years later, but by that time they will be even smaller than the highest levels of radiation expected in Canada.

"Even when levels are small like this, it is important to collect systematic data so we can better predict how another event might move through the ocean," said Ken Buesseler, a marine chemist at Woods Hole Oceanographic Institute, who was not involved in the study.

Buesseler leads a citizen scientist group called Our Radioactive Oceans, to track the arrival of the Fukushima radioactivity plume in the U.S. He noted that his group's results matched Smith's.

"What we really need for understanding what happens after events like Fukushima is data like this on a regular basis," he said.

©2014 Los Angeles Times

Distributed by Tribune Content Agency, LLC

Citation: Tracking the Fukushima radioactivity plume across the Pacific (2014, December 31)  
retrieved 2 April 2024 from  
<https://phys.org/news/2014-12-tracking-fukushima-radioactivity-plume-pacific.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.