

# 45-year physics mystery shows a path to quantum transistors

December 5 2014

---

An odd, iridescent material that's puzzled physicists for decades turns out to be an exotic state of matter that could open a new path to quantum computers and other next-generation electronics.

Physicists at the University of Michigan have discovered or confirmed several properties of the compound samarium hexaboride that raise hopes for finding the silicon of the quantum era. They say their results also close the case of how to classify the material—a mystery that has been investigated since the late 1960s.

The researchers provide the first direct evidence that samarium hexaboride, abbreviated SmB<sub>6</sub>, is a topological insulator. Topological insulators are, to physicists, an exciting class of solids that conduct electricity like a metal across their surface, but block the flow of current like rubber through their interior. They behave in this two-faced way despite that their chemical composition is the same throughout.

The U-M scientists used a technique called torque magnetometry to observe tell-tale oscillations in the material's response to a magnetic field that reveal how electric current moves through it. Their technique also showed that the surface of samarium hexaboride holds rare Dirac electrons, particles with the potential to help researchers overcome one of the biggest hurdles in [quantum computing](#).

These properties are particularly enticing to scientists because SmB<sub>6</sub> is considered a strongly correlated material. Its electrons interact more

closely with one another than most solids. This helps its interior maintain electricity-blocking behavior.

This deeper understanding of samarium hexaboride raises the possibility that engineers might one day route the flow of electric current in quantum computers like they do on silicon in conventional electronics, said Lu Li, assistant professor of physics in the College of Literature, Science, and the Arts and a co-author of a paper on the findings published in *Science*.

"Before this, no one had found Dirac electrons in a strongly correlated material," Li said. "We thought strong correlation would hurt them, but now we know it doesn't. While I don't think this material is the answer, now we know that this combination of properties is possible and we can look for other candidates."

The drawback of samarium hexaboride is that the researchers only observed these behaviors at ultracold temperatures.

Quantum computers use particles like atoms or electrons to perform processing and memory tasks. They could offer dramatic increases in computing power due to their ability to carry out scores of calculations at once. Because they could factor numbers much faster than conventional computers, they would greatly improve computer security.

In quantum computers, "qubits" stand in for the 0s and 1s of conventional computers' binary code. While a conventional bit can be either a 0 or a 1, a qubit could be both at the same time—only until you measure it, that is. Measuring a quantum system forces it to pick one state, which eliminates its main advantage.

Dirac electrons, named after the English physicist whose equations describe their behavior, straddle the realms of classical and quantum

physics, Li said. Working together with other materials, they could be capable of clumping together into a new kind of qubit that would change the properties of a material in a way that could be measured indirectly, without the qubit sensing it. The qubit could remain in both states.

While these applications are intriguing, the researchers are most enthusiastic about the fundamental science they've uncovered.

"In the science business you have concepts that tell you it should be this or that and when it's two things at once, that's a sign you have something interesting to find," said Jim Allen, an emeritus professor of physics who studied samarium hexaboride for 30 years. "Mysteries are always intriguing to people who do curiosity-driven research."

Allen thought for years that samarium hexaboride must be a flawed insulator that behaved like a metal at low temperatures because of defects and impurities, but he couldn't align that with all of its other properties.

"The prediction several years ago about it being a topological insulator makes a lightbulb go off if you're an old guy like me and you've been living with this stuff your whole life," Allen said.

In 2010, Kai Sun, assistant professor of physics at U-M, led a group that first posited that SmB<sub>6</sub> might be a topological insulator. He and Allen were also involved in seminal U-M experiments led by physics professor Cagliyan Kurdak in 2012 that showed indirectly that the hypothesis was correct.

"But the scientific community is always critical," Sun said. "They want very strong evidence. We think this experiment finally provides direct proof of our theory."

Provided by University of Michigan

Citation: 45-year physics mystery shows a path to quantum transistors (2014, December 5)  
retrieved 12 June 2024 from <https://phys.org/news/2014-12-year-physics-mystery-path-quantum.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.