

Organic and conventional milk—comparing apples to apples?

January 20 2015



Consumers perceive that organic cow milk differs from conventionally produced milk and that these differences justify the premium price for organic milk. In a review published in the *Journal of Dairy Science*, researchers in New Zealand found that the differences between organic and conventional milk are not so straightforward.

Reviewing almost 200 publications, researchers concluded that previously conducted controlled studies investigating whether [differences](#) exist between organic and conventionally produced [milk](#) have so far been largely ambiguous, due principally to the complexity of the research question and the number of factors and variables that can influence milk composition. "This review presents one of the most

detailed treatises to date of organic versus conventional milk composition," commented Matt Lucy, PhD, Professor of Animal Science, University of Missouri, and Editor-in-Chief of the *Journal of Dairy Science*.

"When comparing organic and conventional milk composition (especially milk [fatty acids](#)), previous studies have generally compared organic dairying with milk produced from grass-fed cows to conventional dairying with milk produced from concentrate-fed cows. The differences in milk composition observed are actually due to the different diets of the cows (i.e. pasture versus concentrate feeding) rather than organic versus conventional farming systems," according to lead investigator Don Otter, PhD, Senior Scientist, Food & Bio-based Products, AgResearch Grasslands Research Centre (New Zealand).

Because there are many factors that affect [milk composition](#), it is difficult to control for all of them when comparing organic to conventional milk production. According to the investigators, "The term 'organic' when applied to dairying is not universal, and to a large extent, is defined simply by regulations that differ from one country to the next. 'Conventional' basically is anything that is not 'organic.' However, in most parts of the world, conventional dairying is associated with high levels of grain feeding, the use of cow breeds which produce high milk volumes, and the application of large amounts of fertilizer ('high input' farming), while organic dairying is tied to pasture and forage feeding, lower amounts of fertilizer application, and the use of mixed or minority breeds ('low input'). The vast majority of differences reported between organic and conventional milk come from what cows are fed and their breed, and is not anything unique to being organic or conventional in itself."

Therefore in terms of nutrients in milk, there is nothing distinct about [organic milk](#) that makes it unique from conventionally produced milk

once the different factors that influence milk production are compared or adjusted for. If animal genetics, health, breed, diet, management, or environment differs, then so will the composition of the milk produced.

More information: "Organic and conventionally produced milk—An evaluation of factors influencing milk composition," by B.H. Schwendel, T.J. Wester, P.C.H. Morel, M.H. Tavendale, C. Deadman, N.M. Shadbolt, and D.E. Otter. *Journal of Dairy Science*, Volume 98, Issue 2, [dx.doi.org/10.3168/jds.2014-8389](https://doi.org/10.3168/jds.2014-8389)

Provided by Elsevier

Citation: Organic and conventional milk—comparing apples to apples? (2015, January 20) retrieved 11 May 2024 from <https://phys.org/news/2015-01-conventional-milkcomparing-apples.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.