

Fossil find sheds new light on evolution of reptiles

January 15 2015, by Blake Eligh



The new ancient reptile has been named Erpetonyx arsenaultorum. Credit: Sean Modesto, CBU

A lucky find by a young boy on a Prince Edward Island beach has revealed important information about the early evolution of reptiles, according to new research from the University of Toronto Mississauga.

In 1995, father and son Ed and Mike Arsenault were exploring the beach at Cape Egmont, Prince Edward Island, when they spotted a fossil embedded in the red sandstone. They pried the rock from the earth to discover a nearly complete fossil of a small animal. After unsuccessful attempts to sell the find, Mike stashed the fossil under his bed where it stayed until years later when an endowment allowed the Royal Ontario Museum to acquire it in 2004.



In a new study published in the January edition of the *Proceedings of Royal Society B*: Biological Sciences, study co-author and UTM professor Robert Reisz and his team describe the Arsenault find, Erpetonyx arsenaultorum, which turns out to be an entirely new genus and species of reptile that lived millions of years ago, and the first new species from the Canadian Maritimes in over four decades.

Early reptiles evolved during the Carboniferous era when much of this part of the world was covered in swampy forests. Previous data showed that parareptiles (from which turtles originate) had one ancestor that survived the Carboniferous era, however a dearth of specimens leaves large gaps in our understanding of this period.

The Arsenault fossil is the only specimen from this part of the Carboniferous era, and the only reptile specimen from that time. Named in honour of its discoverers, Erpetonyx arsenaultorum adds new branches to the early reptilian family tree, increasing the number of reptiles known to be living at the time.

"Our analysis of the interrelationships of early reptiles reveals that our new species is the closest relative of a enigmatic group called bolosaurid parareptiles," says Reisz, who adds that the find sheds new light on the diversity of reptiles at the end of the Carboniferous period. "It suggests reptiles were 80 per cent more diverse than previously thought," he says.

Erpetonyx arsenaultorum has no living relatives, Reisz says, adding that that the 25-com-long lizard would have looked very similar to a modern-day desert iguana. It had clawed feet and small peg-like teeth. "We presume that it was a carnivore and insectivore, eating arthropods and small vertebrates," he says.

It's a lucky find. "Small fossils like these are easily overlooked. They are also less likely to be preserved in the fossil record than those of larger



species," Reisz says of the <u>fossil</u>. "This is one of the nicest looking, most complete <u>reptiles</u> of the Carboniferous period."

More information: "The oldest parareptile and the early diversification of reptiles." *Proc. R. Soc. B*:2015282 20141912; <u>DOI:</u> 10.1098/rspb.2014.1912. Published 14 January 2015

Provided by University of Toronto

Citation: Fossil find sheds new light on evolution of reptiles (2015, January 15) retrieved 20 March 2024 from https://phys.org/news/2015-01-fossil-evolution-reptiles.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.