

Infrared imaging technique operates at high temperatures

January 23 2015, by Amanda Morris

From aerial surveillance to cancer detection, mid-wavelength infrared (MWIR) radiation has a wide range of applications. And as the uses for high-sensitivity, high-resolution imaging continue to expand, MWIR sources are becoming more attractive.

Currently, commercial technologies for MWIR detection, such as indium antimonide (InSb) and mercury-cadmium-telluride (MCT), can only operate at [cryogenic temperatures](#) in order to reduce thermal and electrical noise. In a search for alternatives, a team of researchers at Northwestern University's Center for Quantum Devices (CQD) has incorporated new materials to develop detectors that can work at room temperature.

"A higher operating temperature eliminates the need for liquid nitrogen," said Manijeh Razeghi, Walter P. Murphy Professor of Electrical Engineering and Computer Science and director of the CQD at Northwestern's McCormick School of Engineering and Applied Science. "That makes detectors more compact, less expensive, and more portable."

Depending on its use, [infrared radiation](#) is divided into several wavelength segments. MWIR have a radiation range between 3-5 microns; cameras able to see in this wavelength are capable of passive infrared imaging.

Razeghi and her group developed an indium arsenide/gallium antimonide

(InAs/GaSb) type II superlattice that demonstrated high-resolution MWIR images while operating at high temperatures. The new technique was particularly successful at obtaining [infrared images](#) of the human body, which has potential for vascular imaging and disease detection.

Supported by DARPA, the Army Research Laboratory, Air Force Research Laboratory, and NASA, the team's findings were reported in paper in the January 1 issue of *Optics Letters*, the journal of the Optical Society of America.

More information: *Optics Letters*, www.opticsinfobase.org/ol/abstract.cfm?uri=ol-40-1-45

Provided by Northwestern University

Citation: Infrared imaging technique operates at high temperatures (2015, January 23) retrieved 20 April 2024 from <https://phys.org/news/2015-01-infrared-imaging-technique-high-temperatures.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--