

Potential signs of ancient life in Mars rover photos

January 6 2015, by Johnny Bontemps, Astrobio.net



A rock bed at the Gillespie Lake outcrop on Mars displays potential signs of ancient microbial sedimentary structures. Credit: NASA

A careful study of images taken by the NASA rover Curiosity has revealed intriguing similarities between ancient sedimentary rocks on Mars and structures shaped by microbes on Earth. The findings suggest, but do not prove, that life may have existed earlier on the Red Planet.

The photos were taken as Curiosity drove through the Gillespie Lake



outcrop in Yellowknife Bay, a dry lakebed that underwent seasonal flooding billions of years ago. Mars and Earth shared a similar early history. The Red Planet was a much <u>warmer and wetter world</u> back then.

On Earth, carpet-like colonies of microbes trap and rearrange sediments in shallow bodies of water such as lakes and costal areas, forming distinctive features that fossilize over time. These structures, known as <u>microbially-induced sedimentary structures</u> (or MISS), are found in shallow water settings all over the world and in ancient rocks spanning Earth's history.

Nora Noffke, a geobiologist at Old Dominion University in Virginia, has spent the past 20 years studying these microbial structures. Last year, she reported the discovery of MISS that are 3.48 billion years old in the Western Australia's Dresser Formation, making them potentially the <u>oldest signs of life on Earth.</u>

In a paper published online last month in the journal *Astrobiology* (the print version comes out this week), Noffke details the striking morphological similarities between Martian sedimentary structures in the Gillespie Lake outcrop (which is at most 3.7 billion years old) and microbial structures on Earth.

The distinctive shapes include erosional remnants, pockets, domes, rollups, pits, chips and cracks, which on Earth can extend from a few centimeters to many kilometers.

Although Noffke makes a tantalizing case for possible signs of <u>ancient</u> <u>life on Mars</u>, her report is not a definitive proof that these structures were shaped by biology. Getting such confirmation would involve returning rock samples to Earth and conducting additional microscopic analyses, a mission that isn't scheduled anytime in the near future.



"All I can say is, here's my hypothesis and here's all the evidence that I have," Noffke says, "although I do think that this evidence is a lot."

"The fact that she pointed out these structures is a great contribution to the field," says Penelope Boston, a geomicrobiologist at the New Mexico Institute of Mining and Technology. "Along with the recent reports of <u>methane and organics on Mars</u>, her findings add an intriguing piece to the puzzle of a possible history for life on our neighboring planet."

A Careful Analysis

"I've seen many papers that say 'Look, here's a pile of dirt on Mars, and here's a pile of dirt on Earth,'" says Chris McKay, a planetary scientist at NASA's Ames Research Center and an associate editor of the journal *Astrobiology*. "And because they look the same, the same mechanism must have made each pile on the two planets.'"

McKay adds: "That's an easy argument to make, and it's typically not very convincing. However, Noffke's paper is the most carefully done analysis of the sort that I've seen, which is why it's the first of its kind published in *Astrobiology*."



Overlay of sketch on photograph from above to assist in the identification of the



structures on the rock bed surface. Image credit: Noffke (2105). Credit: ASTROBIOLOGY, published by Mary Ann Liebert, Inc.

The images on which Noffke drew are publicly available on the Mars Science Laboratory page on NASA's website.

"In one image, I saw something that looked very familiar," Noffke recalls. "So I took a closer look, meaning I spent several weeks investigating certain images centimeter by centimeter, drawing sketches, and comparing them to data from terrestrial structures. And I've worked on these for 20 years, so I knew what to look for."

Noffke compared the rover pictures to images taken at several sites on Earth, including modern sediment surfaces in Mellum Island, Germany; Portsmouth Island, USA; and Carbla Point, Western Australia; as well as older fossils of microbial mats in Bahar Alouane, Tunisia; the Pongola Supergroup in Africa; and the Dresser Formation in Western Australia.

The photos showed striking morphological similarities between the terrestrial and Martian sedimentary structures.

The distribution patterns of the microbial structures on Earth vary depending on where they are found. Different types of structures are found together in different types of environments. For instance, microbial mats that grow in rivers will create a different set of associations than those that grow in seasonally flooded environments.

The patterns found in the Gillespie Lake outcrop are consistent with the microbial structures found in similar environments on Earth.

What's more, the terrestrial structures change in a specific way over



time. As the <u>microbial mats</u> form, grow, dry up, crack and re-grow, specific structures become associated with them. Here again, Noffke found that the distribution pattern in Martian rocks correspond with microbial structures on Earth that have changed over time. Taken together, these clues strengthen her argument beyond simply pointing out the similarities in shape.

In her paper, she also describes alternative processes through which these could have formed. For instance, the chips, pits and cracks could be the product of erosion by salt, water, or wind.

"But if the Martian structures aren't of biological origin," Noffke says, "then the similarities in morphology, but also in distribution patterns with regards to MISS on Earth would be an extraordinary coincidence."





Potential MISS erosional remnant on Mars (top); edge of a microbial mat–overgrown erosional remnant on Portsmouth Island, USA (middle); erosional remnant of a modern MISS on Mellum Island, Germany (bottom). Credit: Mars: NASA; Earth: Nora Noffke

"At this point, all I'd like to do is point out these similarities," she adds. "Further evidence must be provided to verify this hypothesis."

Confirmation Pending

At the end of her report, Noffke outlines a detailed strategy for confirming the potential biological nature of the Martian structures.



Unfortunately, one important step—returning samples to Earth for further analyses—is just not feasible yet.

Noffke also lists a series of measurements Curiosity could potentially do to strengthen the case if it came across such structures again, including looking for organic or chemical signatures using its Sample Analysis at Mars (SAM) instrument.

But McKay says this likely would not work. "In principle, that instrument could tell us something about the nature of these materials biologically, if there were still large amounts of biological organics in the samples," he explains. "But these are just ancient <u>sedimentary structures</u>, and biology has long since left."



Comparison of cracks in Gillespie Lake outcrop on Mars and in a modern microbial mat in Bahar Alouane, Tunisia. Credit: Mars image: NASA; Earth image: Nora Noffke



"What's more, in practice this instrument is restricted," he adds. "There was a contamination spill in the instrument presumably during landing. So it has a very high background contamination level."

On Earth, scientists typically confirm the biological nature of microbial sediment structures by searching for specific microscopic textures, which involves cutting rocks into thin slices and studying them under a microscope.



Knob-shaped structures on Mars compared to similar structures caused by erosion of microbial mats at Carbla Point, Western Australia. Credit: Mars Image: NASA; Earth Image: Nora Noffke

On Mars, this would be very difficult do from an engineering



perspective, although McKay doesn't rule out the possibility for future missions. "I don't know if it can be done, but engineers are pretty smart," he says. "If you give them a challenge, they usually find a solution."

He adds: "A sample return mission would be the gold standard. But that's just unlikely to happen anytime soon."

>> by Johnny Bontemps, Follow Johnny Bontemps on Twitter.

More information: The paper is available online: <u>online.liebertpub.com/doi/pdf/ ... 0.1089/ast.2014.1218</u>

This story is republished courtesy of NASA's Astrobiology Magazine. Explore the Earth and beyond at <u>www.astrobio.net</u>.

Source: Astrobio.net

Citation: Potential signs of ancient life in Mars rover photos (2015, January 6) retrieved 3 May 2024 from <u>https://phys.org/news/2015-01-potential-ancient-life-mars-rover.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.