

## New 'knobs' can dial in control of materials

February 25 2015, by Anne Ju



An artist's rendering of strontium iridate, an oxide whose properties can be controlled by applying spin-orbit interactions or changing molecular bond angles. Credit: Brendan Faeth

Designing or exploring new materials is all about controlling their properties. In a new study, Cornell scientists offer insight on how different "knobs" can change material properties in ways that were previously unexplored or misunderstood.

"The ultimate goal is to control electronic and <u>magnetic properties</u> of new <u>materials</u> using various knobs," said Kyle Shen, associate professor



of physics, who led the study published in *Physical Review Letters* in January. "What you want is to turn one knob, change some parameter, and turn a material from this to that."

The bread-and-butter methods of tuning materials' properties include introducing impurities, such as chemical dopants, or modifying their atomic structures. Here, the researchers took a different approach, by employing an effect known as the <u>spin-orbit interaction</u>. This is the phenomenon an electron experiences when moving past another charged object, such as the atomic nucleus, and it is particularly pronounced in heavier elements near the bottom of the periodic table.

Typical complex electronic materials are "transition metal oxides," where the metal is usually a lighter element such as copper, manganese, titanium or nickel. In this study, Shen and his group replaced the lighter transition metal with a much heavier element – iridium, a very rare element often found in meteorites. This replacement enhanced the effect of the spin-orbit interactions in the compound strontium iridate (SrIrO<sub>3</sub>).

In the absence of spin-orbit interactions, theoretical calculations predicted that strontium iridate would be a conventional metal. However, the researchers discovered that the strong spin-orbit interactions caused strontium iridate to teeter on the brink of being either a metal or a semiconductor – a "semimetal."

Small disturbances to the crystal structure would cause the material to flip from being insulating to metallic, suggesting that the spin-orbit interaction could be a new way of controlling the electronic properties of complex materials.

**More information:** "Interplay of Spin-Orbit Interactions, Dimensionality, and Octahedral Rotations in Semimetallic SrIrO<sub>3</sub>." Phys. Rev. Lett. 114, 016401 – Published 6 January 2015,



journals.aps.org/prl/abstract/ ... ysRevLett.114.016401

## Provided by Cornell University

Citation: New 'knobs' can dial in control of materials (2015, February 25) retrieved 5 May 2024 from <u>https://phys.org/news/2015-02-knobs-dial-materials.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.