

## Magnetic nanoparticles enhance performance of solar cells

February 25 2015



Lightweight, flexible and semi-transparent organic solar cells (here on a glass slide for research purposes) are prepared from solution and at room temperature. Credit: TU München

Magnetic nanoparticles can increase the performance of solar cells made from polymers - provided the mix is right. This is the result of an X-ray study at DESY's synchrotron radiation source PETRA III. Adding about



one per cent of such nanoparticles by weight makes the solar cells more efficient, according to the findings of a team of scientists headed by Prof. Peter Müller-Buschbaum from the Technical University of Munich. They are presenting their study in one of the upcoming issues of the journal *Advanced Energy Materials* (published online in advance).

Polymer, or organic, solar cells offer tremendous potential: They are inexpensive, flexible and extremely versatile. Their drawback compared with established <u>silicon solar cells</u> is their lower efficiency. Typically, they only convert a few per cent of the incident light into electrical power. Nevertheless, organic solar cells are already economically viable in many situations, and scientists are looking for new ways to increase their efficiency.

One promising method is the addition of nanoparticles. It has been shown, for example, that <u>gold nanoparticles</u> absorb additional sunlight, which in turn produces additional electrical charge carriers when the energy is released again by the gold particles.

Müller-Buschbaum's team has been pursuing a different approach, however. "The light creates pairs of charge carriers in the solar cell, consisting of a negatively charged electron and a positively charged hole, which is a site where an electron is missing," explains the main author of the current study, Daniel Moseguí González from Müller-Buschbaum's group. "The art of making an organic solar cell is to separate this electron-hole pair before they can recombine. If they did, the charge produced would be lost. We were looking for ways of extending the life of the electron-hole pair, which would allow us to separate more of them and direct them to opposite electrodes."





Crystalline structures within polymer solar cells cause characteristic diffraction patterns in experiments with synchrotron radiation. Credit: Credit: TU München

This strategy makes use of a quantum physical principle which states that electrons have a kind of internal rotation, known as spin. According to the laws of quantum physics, this spin has a value of 1/2. The positively charged hole also has a spin of 1/2. The two spins can either add up, if they are in the same direction, or cancel each other out if they are in opposite directions. The electron-hole pair can therefore have an overall spin of 0 or 1. Pairs with a spin of 1 exist for longer than those with an overall spin of 0.

The researchers set out to find a material that was able to convert the spin 0 state into a spin 1 state. This required nanoparticles of heavy elements, which flip the <u>spin</u> of the electron or the hole so that the spins of the two particles are aligned in the same direction. The iron oxide magnetite (Fe3O4) is in fact able to do just this. "In our experiment, adding magnetite nanoparticles to the substrate increased the efficiency



of the solar cells by up to 11 per cent," reports Moseguí González. The lifetime of the electron-hole pair is significantly prolonged.

Adding nanoparticles is a routine procedure which can easily be carried out in the course of the various methods for manufacturing organic solar cells. It is important, however, not to add too many nanoparticles to the solar cell, because the internal structure of organic solar cells is finely adjusted to optimise the distance between the light-collecting, active materials, so that the pairs of charge carriers can be separated as efficiently as possible. These structures lie in the range of 10 to 100 nanometres.

"The X-ray investigation shows that if you mix a large number of nanoparticles into the material used to make the solar cell, you change its structure", explains co-author Dr. Stephan Roth, head of DESY's beam line P03 at PETRA III, where the experiments were conducted. "The solar cell we looked at will tolerate magnetite nanoparticle doping levels of up to one per cent by mass without changing their structure."

The scientists observed the largest effect when they doped the substrate with 0.6 per cent nanoparticles by weight. This caused the efficiency of the polymer solar cell examined to increase from 3.05 to 3.37 per cent. "An 11 percent increase in energy yield can be crucial in making a material economically viable for a particular application," emphasises Müller-Buschbaum.

The researchers believe it will also be possible to increase the efficiency of other <u>polymer solar cells</u> by doping them with nanoparticles. "The combination of high-performance polymers with <u>nanoparticles</u> holds the promise of further increases in the efficiency of organic <u>solar cells</u> in the future. However, without a detailed examination, such as that using the X-rays emitted by a synchrotron, it would be impossible to gain a fundamental understanding of the underlying processes involved,"



concludes Müller-Buschbaum.

More information: *Advanced Energy Materials*, 2015; <u>DOI:</u> <u>10.1002/aenm.201401770</u>

## Provided by Deutsches Elektronen-Synchrotron

Citation: Magnetic nanoparticles enhance performance of solar cells (2015, February 25) retrieved 21 May 2024 from <u>https://phys.org/news/2015-02-magnetic-nanoparticles-solar-cells.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.