


How nitrogen is recycled in the Lake Tahoe ecosystem's food web

February 27 2015



University of California, San Diego Shore of Lake Tahoe and its blue water.
Credit: Brant Allen/UC Davis, Tahoe Environmental Research Center

A Scripps Institution of Oceanography-led study on how natural and man-made sources of nitrogen are recycled through the Lake Tahoe ecosystem provides new information on how global change may affect the iconic blue lake.

"High-elevation lakes, such as Lake Tahoe, are sentinels of climate change," said Lihini Aluwihare, associate professor of geosciences at Scripps Institution of Oceanography at UC San Diego. "Small changes in the [lake](#)'s chemistry can have big impacts on the entire ecosystem."

Lake Tahoe's [nitrogen](#) concentration is one of several factors that helps maintain its crystal clear waters. To keep Tahoe blue in the future, the researchers say it's important to keep a close eye on the nitrogen balance in the ecosystem over time.

The study, published in the Feb. 23 issue of the journal *Nature Communications*, tracked nitrogen, including that produced from the burning of fossil fuels, in the Lake Tahoe ecosystem. Nitrogen can affect both the productivity of lake food webs and the composition of the microbes that support nutrition for those food webs.

A main goal of the study was to understand how the nutrient is being cycled through the food web. Using radiocarbon isotope techniques, the researchers dated the molecular components and discovered that some nitrogen was preserved in proteins and unavailable for biological consumption for 100 to 200 years.

"It is unusual for [organic nitrogen](#) to be sitting around for long periods of time in an ecosystem," said Aluwihare, a co-author of the study. "This changes our view of how quickly nutrients are recycled in high-elevation lake ecosystems."



A view of Lake Tahoe's Emerald Bay and iconic blue water. Credit: Brant Allen/UC Davis, Tahoe Environmental Research Center

The Scripps Oceanography and UC Davis Tahoe Environmental Research Center team filtered water from three lakes within the Lake Tahoe basin to collect molecules dissolved in the water. Their findings suggest that something is preventing the efficient recycling of nitrogen in these ecosystems, and one possibility may be phosphorus limitation of the recycling bacteria (bacteria need both nitrogen and phosphorus to live).

"It's important to study the life cycle of nitrogen in the ecosystem since increasing atmospheric nitrogen deposition can alter the food web in the lake," said Stuart Goldberg, lead author of the study and a former post-doctoral researcher at Scripps Oceanography. "Just like a home garden, the health of lake ecosystems relies on the balance of nutrients like nitrogen and phosphorus."



mountainous view of Lake Tahoe. Credit: Brant Allen/UC Davis, Tahoe Environmental Research Center

The Lake Tahoe ecosystem is experiencing rapid change due to regional warming and shifts in precipitation patterns, as well as increased atmospheric nitrogen deposition, which has begun to alter the nutrient balance in the lake.

"This investigation has found that dissolved organic matter can store nitrogen in lake systems," said Lina Patino, program director for the Earth Sciences Postdoctoral Fellowship Program at the National Science Foundation, which funded the research. "This result is important because to understand the environmental health of lakes, we need to know the sources of the nutrients and where they are stored."

Provided by University of California - San Diego

Citation: How nitrogen is recycled in the Lake Tahoe ecosystem's food web (2015, February 27)
retrieved 10 April 2024 from

<https://phys.org/news/2015-02-nitrogen-recycled-lake-tahoe-ecosystem.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--