


Semiconductor works better when hitched to graphene

February 20 2015



A material made of semiconducting polymer placed on top of graphene conducts electric charge extremely well and may enable new electronic devices. This work was featured on the cover of the journal *Advanced Functional Materials*. Credit: David Barbero


Graphene – a one-atom-thick sheet of carbon with highly desirable electrical properties, flexibility and strength – shows great promise for future electronics, advanced solar cells, protective coatings and other uses, and combining it with other materials could extend its range even further.

Experiments at the Department of Energy's SLAC National Accelerator Laboratory looked at the properties of materials that combine [graphene](#) with a common type of semiconducting polymer. They found that a thin film of the polymer transported electric charge even better when grown on a single layer of graphene than it does when placed on a thin layer of silicon.

"Our results are among the first to measure the charge transport in these materials in the vertical direction – the direction that charge travels in organic photovoltaic devices like [solar cells](#) or in light-emitting diodes," said David Barbero of Umeå University in Sweden, leader of the international research team that performed the experiments at SLAC's Stanford Synchrotron Radiation Lightsource (SSRL), a DOE Office of Science User Facility. "The result was somewhat expected, because graphene and silicon have different crystalline structures and [electrical properties](#)."

But the team also discovered something very unexpected, he said.

Although it was widely believed that a thinner polymer film should enable electrons to travel faster and more efficiently than a thicker film, Barbero and his team discovered that a polymer film about 50 nanometers thick conducted charge about 50 times better when deposited on graphene than the same film about 10 nanometers thick.



Studies conducted at the Stanford Synchrotron Radiation Lightsource revealed that when deposited atop graphene, a thicker polymer film (top) conducted charge significantly better than a thinner polymer film (bottom). This is likely because the orientation of the polymer crystallites within the thick film allows the formation of a continuous pathway for the charge to flow. Credit: David Barbero

The team concluded that the thicker film's structure, which consists of a mosaic of crystallites oriented at different angles, likely forms a continuous pathway of interconnected crystals. This, they theorize, allows for easier [charge transport](#) than in a regular thin film, whose thin, plate-like crystal structures are oriented parallel to the graphene layer.

By better controlling the thickness and crystalline structure of the semiconducting film, it may be possible to design even more efficient graphene-based organic electronic devices.

"The fields most likely to benefit from this work are probably next-generation photovoltaic devices and flexible electronic devices," said Barbero. "Because graphene is thin, lightweight and flexible, there are a number of potential applications."

More information: "Enhanced Vertical Charge Transport in a Semiconducting P3HT Thin Film on Single Layer Graphene." Vasyly Skrypnichuk et al., *Advanced Functional Materials*, published online on 6 November 2014 (10.1002/adfm.201403418)

Provided by SLAC National Accelerator Laboratory

Citation: Semiconductor works better when hitched to graphene (2015, February 20) retrieved 20 March 2024 from <https://phys.org/news/2015-02-semiconductor-hitched-graphene.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--