

## Improved soil condition increases moisture for crops

February 3 2015



Doctoral student Graig Reicks and professor David Clay have planted cowpeas, crimson clover and forage radish between rows of soybean to see if such crops can be used as forage once the beans have been harvested.

Tillage practices that conserve moisture, plants that use water more efficiently and soil with more organic matter have produced higher yields even in dry conditions, according to soil scientist David Clay, professor of plant science.

Research shows that soil carbon levels have increased by 24 percent from 1985 to 2010, according to Clay. Over the same period, <u>corn yields</u> increased by 73 percent.



Clay pointed out that these statistics are the result of a decrease in tillage intensity resulting from the development of specialized farm equipment and development of improved soybean and corn cultivars.

"Higher <u>organic matter</u> content means the soil can store more water, which improves the crop's ability to resist drought and to fully take advantage of genetic enhancements," Clay said.

In addition, greater <u>water retention</u> means less runoff and, therefore, less environmental impact, he pointed out. From 1982 to 2007, conservation <u>tillage practices</u> reduced erosion by 34 percent in South Dakota, 23 percent in Nebraska and 20 percent in North Dakota.

## **Evaluating impact of water stress**

Water stress causes leaf pores, or stomata, to close so that the plant doesn't lose moisture, according to Clay. To assess that impact, he collaborated with colleague professor Gregg Carlson, wife Sharon, a professor in weed science, U. S, Department of Agriculture plant physiologist David Horvath and agronomy doctoral students Stephanie Hansen and Graig Reicks. They analyzed how <u>water stress</u> affects gene expression in corn at the V-12 stage.

"Isotopic techniques when combined with molecular techniques give us the ability to look at plant physiology in addition to yield," Clay said. For instance, water stress results in a change in the relative amounts of carbon-12 and carbon-13 fixed during photosynthesis.





High organic matter levels mean the soil can store more water, Clay says.

By measuring stable carbon isotopic ratio, crop yield and relative gene expression, the researchers concluded that water stress decreased the <u>plants</u>' ability to take up nutrients and recover from pest injury.

"Plants have only so much carbon and energy," Clay pointed out. "If they are allocating most of their resources to finish the reproductive cycle, that doesn't leave much energy for other functions.

"By understanding the stress that the plant is undergoing, we can develop management practices to close the gap between the plants' achieved yield



and its genetic yield potential," he said, thus supporting worldwide food security and South Dakota workforce development.

## Looking at increased yields

To gauge the impact plant breeding and soil research have had on crops grown under dry conditions, Clay compared corn, wheat and soybean yields during droughts in 1974 and 2012. Rainfall amounts were the same, but the Palmer Drought Severity Index rated 2012 as a more severe drought than 1974.

Despite this, yields increased significantly—soybeans by 50 percent, wheat by nearly 150 percent and corn by more than 200 percent, based on U.S. Department of Agriculture data. Clay estimated that the increased water available to the crops through improved soil management had a net impact of \$1.1 billion on South Dakota agriculture in 2012.

This illustrates the value that research brings to producers, Clay explained, "and how important it is for all of us to work together."

Provided by South Dakota State University

Citation: Improved soil condition increases moisture for crops (2015, February 3) retrieved 30 April 2024 from <u>https://phys.org/news/2015-02-soil-condition-moisture-crops.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.