

## Fossil skull sheds new light on transition from water to land

March 11 2015



This is the original fossil skull of Acanthostega gunnari, a 360 million-year-old near-ancestor of land vertebrates. Scientists at the Universities of Bristol and Cambridge, UK have created a 3-D reconstruction of the skull which differs from earlier 2-D reconstructions and suggests such creatures, which lived their lives primarily in shallow water environments, were more like modern crocodiles than previously thought. Credit: Laura Porro, University of Bristol, UK

The first 3D reconstruction of the skull of a 360 million-year-old nearancestor of land vertebrates has been created by scientists from the



Universities of Bristol and Cambridge, UK. The 3D skull, which differs from earlier 2D reconstructions, suggests such creatures, which lived their lives primarily in shallow water environments, were more like modern crocodiles than previously thought.


The researchers applied high-resolution X-ray computed tomography (CT) scanning to several specimens of *Acanthostega gunnari*, one of the 'four-footed' vertebrates known as tetrapods which invaded the land during one of the great evolutionary transitions in Earth's history, 380-360 million years ago. Tetrapods evolved from lobe-finned fishes and display a number of adaptations to help them survive on land.

An iconic fossil species, *Acanthostega gunnari* is crucial for understanding the anatomy and ecology of the earliest tetrapods. However, after hundreds of millions of years in the ground fossils are often damaged and deformed. No single specimen of *Acanthostega* preserves a skull that is complete and three-dimensional which has limited scientists' understanding of how this key animal fed and breathed - until now.

Using special software, the Bristol and Cambridge researchers 'digitally prepared' a number of *Acanthostega* specimens from East Greenland, stripping away layers of rock to reveal the underlying bones.

They uncovered a number of bones deep within the skull, including some that had never before been seen or described, resulting in a detailed anatomical description of the *Acanthostega* skull.





A 3-D model of the fossil skull of Acanthostega gunnari, a 360 million-year-old near-ancestor of land vertebrates. The model, which was created by scientists at the Universities of Bristol and Cambridge, UK, differs from earlier 2-D reconstructions and suggests such creatures, which lived their lives primarily in shallow water environments, were more like modern crocodiles than previously thought. Credit: Laura Porro, University of Bristol, UK

Once all of the bones and teeth were digitally separated from each other, cracks were repaired and missing elements duplicated. Bones could then be manipulated individually in 3D space. Using information from other specimens, the bones were fitted together like puzzle pieces to produce the first 3D reconstruction of the skull of *Acanthostega*, with surprising results.

Lead author, Dr Laura Porro, formerly of Bristol's School of Earth Sciences and now at the Royal Veterinary College, said: "Because early tetrapods skulls are often 'pancaked' during the fossilization process,



these animals are usually reconstructed having very flat heads. Our new reconstruction suggests the skull of *Acanthostega* was taller and somewhat narrower than previously interpreted, more similar to the skull of a modern crocodile."

The researchers also found clues to how *Acanthostega* fed. The size and distribution of its teeth and the shape of contacts between individual bones of the <u>skull</u> (called sutures) suggest *Acanthostega* may have initially seized prey at the front of its jaws using its large front teeth and hook-shaped lower jaw.



Here are the articulated cranium and lower jaws shown in oblique right lateral view (A). Right facial skeleton and skull roof shown in "exploded" view to



illustrate the nature of sutural contacts (B); the left side of the cranium (braincase omitted) is shown in internal view (C). The right lower jaw in "exploded" view to illustrate sutural morphology. Individual bones shown in various colors. Credit: Porro et al.

Co-author, Professor Emily Rayfield, also from Bristol's School of Earth Sciences, said: "These new analyses provide fresh clues about the evolution of the jaws and feeding system as the earliest animals with limbs and digits began to conquer the land."

The researchers plan to apply these methods to other flattened fossils of the earliest tetrapods to better understand how these early animals modified their bones and teeth to meet the challenges of living on land.

Digital models of the original fossils and the 3D reconstruction are also useful in scientific research and education. They can be accessed by researchers around the world, without risking damage to fragile original fossils and without scientists having to travel thousands of miles to see original specimens. Furthermore, digital models and 3D printouts can be easily and safely handled by students taking courses and by the public during outreach events.

The study is published today in PLOS ONE.

**More information:** 'Descriptive anatomy and three-dimensional reconstruction of the skull of the early tetrapod Acanthostega gunnari Jarvik, 1952' by Laura B. Porro, Emily J. Rayfield and Jennifer A. Clack in *PLOS ONE*. <u>dx.plos.org/10.1371/journal.pone.0118882</u>



## Provided by University of Bristol

Citation: Fossil skull sheds new light on transition from water to land (2015, March 11) retrieved 17 April 2024 from <u>https://phys.org/news/2015-03-fossil-skull-transition.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.