

Understanding plants' immune systems could lead to better tomatoes, roses, rice

March 11 2015



Plants that are infected with speck disease often have wilted leaves and damaged fruit. Credit: University of Missouri

Spring is just around the corner and for millions of Americans, that means planting a garden with plenty of fruits and vegetables, including tomatoes. However, some of the plants will be infected by bacteria,

leading to stunted growth and less nutritional value. Now, a University of Missouri research team has uncovered new regulations of defense pathways for plants. This discovery could lead to helping those home-grown tomatoes fight off certain bacteria better and has implications for pear trees, roses, soybeans and rice.

"Each year, millions of dollars are lost from damage to crops and [ornamental plants](#) caused by pathogens, which include a bacteria known as *Pseudomonas Syringae*," said Antje Heese, assistant professor of biochemistry at MU. "This bacteria directly affects tomatoes and causes speck disease that permanently damages the fruit and leaves. In our study, we used *Arabidopsis thaliana*, a plant that has the same [immune response](#) as tomatoes but grows at a faster rate, to study the immune responses of plants."

Previously, researchers thought that a plant defended itself against bacteria by activating a specific, several-step process. However, Heese's team found that if the plant is exposed to [bacteria](#), it actually activates its immune system using three separate mechanisms.

Heese and her research team, including MU graduate student John M. Smith, confirmed that each mechanism responding to the infection is doing so independently of the other two mechanisms, and that each of these mechanisms must have the right amount of specific proteins, called [immune receptors](#), in the right place to respond appropriately. Having the right combination provides the plant with an effective and efficient immune response. This discovery could allow future scientists to create new strategies to help plants fight disease and lead to better crops.

"Like any living organism, plants have limited resources and they have to use those resources effectively," Heese said. "If the plant makes too much of the proteins responsible for these mechanisms, they will suffer in other areas, such as creating quality fruit. This same discovery can be

applied to many crops, including rice and soybeans, and ornamental plants, including roses, pear and apple trees. The information discovered in this study gives scientists something new to study in plants, with the eventual goal of better crops and ornamental [plants](#)."

The study, "Loss of *Arabidopsis thaliana* Dynamin-Related Protein 2B Reveals Separation of Innate Immune Signaling Pathways," was published in *PLOS Pathogens*.

Provided by University of Missouri-Columbia

Citation: Understanding plants' immune systems could lead to better tomatoes, roses, rice (2015, March 11) retrieved 1 May 2024 from <https://phys.org/news/2015-03-immune-tomatoes-roses-rice.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|