

Whale watching impacts on minke whales are not likely to be a conservation threat

March 27 2015



A whale watching boat in Faxaflói bay, Iceland

Wildlife tourism, like whale watching, can substantially disrupt the activities of the animals targeted but does it threaten populations with extinction?

In an attempt to understand whether this industry poses a conservation threat, researchers from the University of Aberdeen have carried out a study on the effects of whale watching on north Atlantic [minke whales](#).

The results, published in the *Conservation Letters* journal, have not only shed light on the effects of whale watching itself, but also provided a framework that can be used to evaluate the consequences of human disturbances for the conservation of wildlife more generally.

"In this study we tried to evaluate the long-term consequences of whale watching disturbance on minke whales in Faxaflói bay, Iceland," explained Dr David Lusseau from the University of Aberdeen's Institute of Biological and Environmental Sciences. "More specifically, we wanted to know if repeated disruptions of feeding behaviours could end up affecting the reproductive success of pregnant females.

"We found that although whale watching boats caused whales to stop feeding and move away, most whales only encountered a handful of whale watching boats throughout the feeding season in Iceland. Therefore these disruptions resulted in negligible effects on the whales' [body condition](#) and reproduction.

"While this case study focused on minke whales and the effects of whale watching, the proposed framework will be very valuable. The frequency of interactions between humans and wildlife is increasing globally, and hence understanding how disturbance can affect the long-term survival and reproduction of animals is becoming increasingly important from a management perspective. This study is therefore of great value for wildlife management and conservation, by providing a much needed basis on which future work can build."

The research team, led by Dr Fredrik Christiansen, currently a Research Fellow at Murdoch University, Australia, carried out their study by developing a model linking whale behaviour to energy intake (from prey ingested during feeding) and expenditure (from swimming). They also estimated how many times individual minke whales were interacting with whale watching boats through the feeding season (April to October)

when they are in Iceland.

Undisturbed minke whales behaviour was monitored from a lighthouse and compared to behavioural data collected from whale watching boats during interactions. Minke whales carry individually distinctive marks, allowing the team to estimate how often the same whales were encountered by whale watching boats throughout the feeding season.

Dr Fredrik Christiansen added: "From this estimate of exposure we could then estimate the total amount of energy the whale watching interactions would cost individual minke whales throughout the feeding season, which we compared to the energy requirement of an undisturbed whale, to estimate changes in body condition of disturbed whales.

"We estimated minke whale energy requirement by looking at the amount of energy that minke whales deposit into their body reserves (blubber storage) throughout the feeding season using previously published information.

"Finally we used our understanding of the relationship between the body condition of pregnant females and the size of their foetuses, to find out if the estimated changes in body condition of disturbed whales could end up affecting foetal growth, and hence reproduction.

"Wildlife tourism can be a conservation threat in some circumstances. This study shows that in the case of minke whales in Iceland, it is not likely to be the case. This is not because [whale watching](#) is not disturbing the whales, but because the whales are not disturbed often enough by tourism. This study helps us point to cumulative exposure to disturbances as a key driver of the conservation impact of human disturbances."

More information: "Linking Behaviour to Vital Rates to Measure the Effects of Non-Lethal Disturbance on Wildlife." *Conservation Letters*.

[DOI: 10.1111/conl.12166](https://doi.org/10.1111/conl.12166)

Provided by University of Aberdeen

Citation: Whale watching impacts on minke whales are not likely to be a conservation threat (2015, March 27) retrieved 23 April 2024 from <https://phys.org/news/2015-03-whale-impacts-minke-whales-threat.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.