

New analysis shows how bombardier beetles produce explosive defensive chemical jet

April 30 2015



Photo by Charles Hedgcock, (c) 2015 Wendy Moore

Photograph of bombardier beetle spray ejection. Credit: Charles Hedgcock, ©

2015 Wendy Moore

Bombardier beetles, which exist on every continent except Antarctica, have a pretty easy life. Virtually no other animals prey on them, because of one particularly effective defense mechanism: When disturbed or attacked, the beetles produce an internal chemical explosion in their abdomen and then expel a jet of boiling, irritating liquid toward their attackers.

Researchers had been baffled by the half-inch [beetles'](#) ability to produce this noxious spray while avoiding any physical damage. But now that conundrum has been solved, thanks to research by a team at MIT, the University of Arizona, and Brookhaven National Laboratory. The findings are published this week in the journal *Science* by MIT graduate student Eric Arndt, professor of materials science and engineering Christine Ortiz, Wah-Keat Lee of Brookhaven National Laboratory, and Wendy Moore of the University of Arizona.

"Their defensive mechanism is highly effective," Arndt says, making bombardier beetles "invulnerable to most vertebrates, and invertebrates"—except for a few very specialized predators that have developed countermeasures against the noxious spray.

The liquid these beetles eject is called benzoquinone, and is actually a fairly common defensive agent among insects, Arndt says. But bombardier beetles are unique in their ability to superheat the liquid and expel it in an intense, pulsating jet.

The key is that they synthesize the chemical at the instant of use, mixing two chemical precursors in a protective chamber in their hindquarters. As the materials combine to form the irritant, they also give off intense

heat that brings the liquid almost to the boiling point—and, in the process, generates the pressure needed to expel it in a jet.

Seeing inside a living beetle

"For decades, the complex mechanism of how the bombardier beetle achieves spray pulsation as a chemical defense has not been understood, because only external observations were used previously," Ortiz says. In the current study, the researchers used high-speed synchrotron X-ray imaging to "see" inside the abdomens of living bombardier beetles during explosions. They used a facility at Argonne National Laboratory to carry out the experiments and produce detailed images that revealed, for the first time, how the process works, with a camera recording the action at a rate of 2,000 frames per second.


The X-ray images of the explosion reveal the dynamics of vapor inside the beetles' abdomens. They show that spray pulsation is controlled by the passageway between two internal chambers; two structures control this process: a flexible membrane and a valve.

The opening and closing of this passageway between a chamber holding the precursor liquid and an explosion chamber seems to take place passively; an increase in pressure during the explosion expands the membrane, closing the valve. Then, after the pressure is released when the liquid is ejected, the membrane relaxes back to its original state and the passage reopens, allowing the next pulse to form. This all takes place so rapidly—not to mention inside the insect—that the process had never been directly observed.

The explosive mechanism used by the bombardier beetle generates a spray that is not only much hotter than that emitted by other insects that use the same chemical irritant, but also propels the jet five times faster. Both the speed and the heat serve to make the spray even more effective

against potential predators, Arndt says.

The pulsing nature of the spray may help protect the structure of the beetle's reaction chamber, Arndt says, allowing time for the chamber walls to cool a bit before the next pulse.



Researchers used intense X-rays at the Advanced Photon Source, located at Argonne National Laboratory, to study how the bombardier beetle sprays hot,

caustic chemicals from two rear glands when threatened. Top: The bombardier beetle can aim its noxious spray from two separate rear glands. Bottom: This colored scanning electron microscope image shows the structure of the two glands. To protect the beetle's insides, the chambers holding the chemicals are lined with a thick layer of protective cuticle, shown in brown. Areas with less cuticle -- and more flexibility -- are shown in blue. The white arrow identifies the reaction chamber; the purple arrow shows the junction between the reaction chamber and the exit channel; and the yellow arrow points out the exit channel dorsal membrane. Credit: Wah-Keat Lee/Brookhaven & Argonne National Laboratories

Understanding the beetles' ability to survive these intense internal explosions may help in designing blast-protection systems; this study shows how the sophisticated and specialized biological design of the system works to simultaneously achieve defensive and protective functions, Ortiz says. The reaction chamber, for example, possesses a rigid, reinforcing structure to minimize stretching and sustain temperature increases during an explosion, while other components allow for controlled, reversible stretching and movement to control the jet of fluid. The dynamics of the spray generation might also provide information useful in the design of propulsion systems, the researchers say.

More information: Mechanistic origins of bombardier beetle (Brachinini) explosion-induced defensive spray pulsation
[www.sciencemag.org/lookup/doi/ ... 1126/science.1261166](http://www.sciencemag.org/lookup/doi/.../1126/science.1261166)

Provided by Massachusetts Institute of Technology

Citation: New analysis shows how bombardier beetles produce explosive defensive chemical jet

(2015, April 30) retrieved 2 May 2024 from <https://phys.org/news/2015-04-analysis-bombardier-beetles-explosive-defensive.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.