

A blueprint for clearing the skies of space debris

April 17 2015

An international team of scientists have put forward a blueprint for a purely space-based system to solve the growing problem of space debris. The proposal, published in *Acta Astronautica*, combines a super-wide field-of-view telescope, developed by RIKEN's EUSO team, which will be used to detect objects, and a recently developed high-efficiency laser system, the CAN laser that was presented in *Nature Photonics* in 2013, that will be used to track space debris and remove it from orbit.

Space debris, which is continuously accumulating as a result of human space activities, consists of artificial objects orbiting the earth. The number of objects nearly doubled from 2000 to 2014 and they have become a major obstacle to space development. The total mass of space debris is calculated to be about 3,000 tons. It consists of derelict satellites, rocket bodies and parts, and small fragments produced by collisions between debris.

Because the debris exists in different orbits, it is difficult to capture. The objects can collide with space infrastructure such as the International Space Station (ISS) and active satellites. As a result, developing remediation technology has become a major challenge.

The EUSO telescope, which will be used to find debris, was originally planned to detect ultraviolet light emitted from air showers produced by ultra-high energy cosmic rays entering the atmosphere at night. "We realized," says Toshikazu Ebisuzaki, who led the effort, "that we could put it to another use. During twilight, thanks to EUSO's wide field of

view and powerful optics, we could adapt it to the new mission of detecting high-velocity debris in orbit near the ISS."

The second part of the experiment, the CAN laser, was originally developed to power particle accelerators. It consists of bundles of optical fibers that act in concert to efficiently produce powerful laser pulses. It achieves both high power and a high repetition rate.

The new method combining these two instruments will be capable of tracking down and deorbiting the most dangerous space debris, around the size of one centimeter. The intense laser beam focused on the debris will produce high-velocity plasma ablation, and the reaction force will reduce its orbital velocity, leading to its reentry into the earth's atmosphere.

The group plans to deploy a small proof-of-concept experiment on the ISS, with a small, 20-centimeter version of the EUSO telescope and a laser with 100 fibers. "If that goes well," says Ebisuzaki, "we plan to install a full-scale version on the ISS, incorporating a three-meter telescope and a [laser](#) with 10,000 fibers, giving it the ability to deorbit debris with a range of approximately 100 kilometers. Looking further to the future, we could create a free-flyer mission and put it into a polar orbit at an altitude near 800 kilometers, where the greatest concentration of debris is found."

According to Ebisuzaki, "Our proposal is radically different from the more conventional approach that is ground based, and we believe it is a more manageable approach that will be accurate, fast, and cheap. We may finally have a way to stop the headache of rapidly growing [space debris](#) that endangers space activities. We believe that this dedicated system could remove most of the centimeter-sized debris within five years of operation."

Provided by RIKEN

Citation: A blueprint for clearing the skies of space debris (2015, April 17) retrieved 19 April 2024 from <https://phys.org/news/2015-04-blueprint-space-debris.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.