


# It's complicated: Self-organized patterns identify emergent behavior near critical transitions

April 28 2015, by Stuart Mason Dambrot



Self-organization due to instability before a critical transition. When the phase transition breaks the balance between the intrinsic dynamics and the peer influence, the effect of peer influence dominates and a self-organized population behavior emerges. Far from the transition, the dynamics  $F(\bullet)$  dominate over the relatively weaker interaction  $L\bullet$  — exhibiting only individual motions. Near the

transition, however, the returning force  $F'(\bullet)$  becomes much weaker than the persisting  $L\bullet$  — the shifting balance from the dynamics to structure causes the nodes to become highly coordinated, resulting in global patterns. Credit: Moon, H. & Lu, T.-C. Network Catastrophe: Self-Organized Patterns Reveal both the Instability and the Structure of Complex Networks. *Sci. Rep.* 5, 9450; DOI:10.1038/srep09450 (2015). Copyright © 2015, Rights Managed by Nature Publishing Group. Distributed under Creative Commons CC BY 4.0 license.

From the perspective of complex systems, a range of events – from chemistry and biology to extreme weather and population ecology – can be viewed as large-scale self-emergent phenomena that occur as a consequence of deteriorating stability. Based on observing the self-organized patterns associated with these phenomena, the elusive goal has been the ability to interpret these emergent patterns to predict the related critical events. Recently, scientists at HRL Laboratories, LLC in Malibu, California sought to determine if there was a quantifiable relationship between these patterns and the network of interactions characterizing the event. By limiting their working definition of self-organization to spontaneous order emergence resulting from a non-equilibrium phase transition (that is, a change in a feature of a physical system – one that is not simply isolated from the rest of the universe –that results in a discrete transition of that system to another state), the researchers were able to detect the transition based on the principal mode of the pattern dynamics, and identify its evolving structure based on the observed patterns. They found that while the pattern is distorted by the network of interactions, its principal mode is invariant to the distortion even when the network constantly evolves. The scientists then validated their analysis on real-world markets and showed common self-organized behavior near critical transitions, such as housing market collapse and stock market crashes, thereby providing a proof-of-concept that their goal of being able to detect critical events before they are in full effect is possible.

Senior Research Staff Scientist Tsai-Ching Lu and Research Staff Scientist Hankyu Moon discussed the paper they published in *Scientific Reports*. "When applying our method to detect the system's transition based on the principal pattern dynamics mode, we first needed to ensure that the input to our method was a valid observable that served as a surrogate for the phenomena of interest," Lu tells *Phys.org*. "For example, in our housing and [stock market](#) examples, we have well-calibrated, clean, collective signals which are representative of potential behavior manifestations of the systems. However, if we blindly apply our method to extremely noisy and sparse input signals, we'll have a hard time detecting the system's transition due to the still-applicable and fundamental principle of computer science, *garbage in, garbage out*." In other words, the researchers consider the identification of representative input signals as the main challenge for detecting the system's transition – especially for, exploratory phenomena of interest that are not well-established.


"Our main finding from market data is that extreme and rare events have clear indicative signatures," Moon point out. "For modeling and analysis, this means that when we need a sufficiently long multi-dimensional time series, we have less data to work with." For the stock market data, he illustrates, they had an appropriate number of large-scale historic crashes to work with, and so were able to verify the methodology's goodness-of-fit (which describes how well a statistical model fits a set of observations) – but on the other hand, sufficient historical housing market data were not available.

Another issue, the scientists say, was robustly identifying the system's evolving structure based on observed patterns. "In our simulation and market examples," Lu explains, "we've seen structure amplifications when a system is near its phase transition – but when further away, the ability to make such observations is weaker. We believe this question remains a largely open system identification problem in working with

time series signals." More specifically, they see the major challenge as properly defining the *sliding window* and *leap window* for capturing the manifestation of pattern-based structural evolution. (In signal processing, a *window* is a time-series segmentation of a time series signal. A *sliding window* algorithm is a simple time-series analysis method for isolating and viewing signal segments, in which a small window slides across the time series, one time step at a time; a *leap window* is a modified sliding window that increases algorithm speed by increasing the value of intersegment transitions.) "Our work on market examples shows the possibility of identifying a system's structure, but it's a small step towards addressing the larger issue."

Moon adds that verifying the structure identification goodness-of-fit is not straightforward. "We were able to verify the structure identification goodness-of-fit through simulation where we know the network connectivity, but in real-world examples the question of how to measure the true connectivity of real-world networks remains an issue."

Relatedly, studying the simultaneous evolution of connectivity and [phase transitions](#) was also challenging. "In our study, we showed the possibility of deriving early warning indicators for systems with diffusion dynamics," Lu says. "We expected our method to be generalizable for systems with different dynamics – for example, reaction-diffusion dynamics leading to Turing patterns. One of the major challenges in studying these systems with real-world data is obtaining *ground truth labeling*" – that is, identifying the absolute truth of the observed data patterns by evaluating input signal fidelity.



Difference in the growth of the covariance spectrum between a sparse (linear) network and a dense (fully connected) network. (Top and bottom) The top plot shows the growth of the covariance spectrum from a linearly connected network as it evolves toward a fold bifurcation. The top plot shows the spectrum growth for a fully connected network as it goes through the same evolution. Both  $\mu_1$ s (top curves) reveal identical growths (verifying the invariance), but the rest of the spectrum (curves beneath each top curve) show vastly different growth profile. Note that higher order spectrum for the fully connected network is collapsed into almost flat curves. (Right) Invariance and variance over 10 different network topologies. The upper plot shows uniform growths of  $\mu_1$  computed over 10 networks having varied connectivity, verifying the invariance. The lower plot shows the varied growths of  $\mu_2$  computed for the same set of


networks. Credit: Moon, H. & Lu, T.-C. Network Catastrophe: Self-Organized Patterns Reveal both the Instability and the Structure of Complex Networks. *Sci. Rep.* 5, 9450; DOI:10.1038/srep09450 (2015). Copyright © 2015, Rights Managed by Nature Publishing Group. Distributed under Creative Commons CC BY 4.0 license.

Reaction–diffusion systems are mathematical models which explain how the concentration of one or more substances distributed in space changes under the influence of two processes. Turing processes (named for Alan Turing's theory<sup>1</sup>, which can be called a reaction–diffusion theory of *morphogenesis*, the biological process that causes an organism to develop its shape) describe how non-uniformity – natural patterns such as stripes, spots and spirals – may arise naturally out of a homogeneous, uniform state.

"For some phenomena and systems of interest," Lu continues, "critical transitions might be so rare that they would actually prohibit the development and verification of early warning indicators, especially in the setting of simultaneous evolution of connectivity and phase transitions." That being said, he adds that they did obtain some initial results for simulated Turing patterns, which they will proceed to test in real-world datasets.

The researchers also had to derive a general indicator of a critical transition that is not affected by its structure. When they began this study, Lu recounts, they set out to develop structure-invariant indicators for heterogeneously networked systems. "The major challenge was in the intricacy of evolving structures and their dynamics. We started with simulations to prove the concept of decoupling [network structure](#) from the covariance spectrum, but it took some time to convince ourselves that such an indicator existed." The scientists used covariance – a

measure of how changes in one variable are associated with changes in a second variable – to combine evolving dynamics, peer influence, and random perturbation to derive a network of stochastic differential equations. "When we tested these ideas on real-world data," Lu adds, "we started to learn how well our indicators will work for various types of systems."



Structure revealing pattern formation property. (Bottom) The horizontal axis represents the time evolution of the network going through a pitchfork bifurcation. Three 20 X 20 networks having distinct geometric connections—grid, linear, and slanted—goes through the bifurcation. When each network is far from the bifurcation, the state of the 20 X 20 = 400 node network represented as pixel values show only slight differences. However, when each network approaches the bifurcation point, the pattern clearly reveals the underlying geometry. (Top 2 plots) Structure estimation at phase transition.

9-node linear network dynamics was simulated to go through a pitchfork bifurcation (lower plot), and the equation (4) estimates the Laplacian matrix from the state covariance matrices. The difference in terms of Frobenius norm between the estimated Laplacian matrix and the true Laplacian matrix is plotted (upper plot). The difference achieves a minimum at the bifurcation point, verifying the optimal structure recovery property at the phase transition. Credit: Moon, H. & Lu, T.-C. Network Catastrophe: Self-Organized Patterns Reveal both the Instability and the Structure of Complex Networks. *Sci. Rep.* 5, 9450; DOI:10.1038/srep09450 (2015). Copyright © 2015, Rights Managed by Nature Publishing Group. Distributed under Creative Commons CC BY 4.0 license.

The final obstacle was mathematically proving that the first eigenvalue (each of a set of values of a parameter for which a differential equation has a nonzero solution under given conditions) of the covariance matrices computed from the time series is a network-invariant indicator of instability. "The major difficulty was in finding the appropriate mathematical tools to capture the linkage – that is, decoupling – of network structure and time series analysis," Lu explains. "Linking spectral graph theory and covariance metrics – the latter in the form of a stochastic differential equation – enabled the proof."


"In addition," Moon notes, "after we empirically verified the invariance, it intuitively made sense. The challenge was to derive the closed-form expression of the covariance statistics eigenvalues using the structure variables Laplacian eigenvalues," in which the number of times 0 appears as an eigenvalue in the Laplacian is the number of connected components in the graph. Moon adds that classical tools by V.I. Arnold<sup>2</sup> helped fill the gap.

To address these challenges, Lu relates, they found their key insight in Scheffer's conceptualization<sup>3</sup> that *critical slowing down* phenomena – in which the return time of a disturbance back to equilibrium – increases



close to a bifurcation can be quantified by statistical means. "When we thought about networked dynamics, we naturally looked into the covariance spectrum as it generalizes the correlation and variance measures of Scheffer's setup of homogeneous systems." (A system of linear equations is homogeneous if all of the constant terms are zero.) "Our key innovation lies in identifying structure-invariant and structure-revealing measures, as they allow us to look into systems at various sizes and dimensions."

In addition to the effective early warning signals introduced in the literature<sup>3,4,5</sup>, Lu tells *Phys.org* that he and Moon were inspired to investigate the simultaneous evolution of connectivity and phase transitions in several application domains. "In particular, we were fascinated by neural firing patterns in epileptic seizures, cascading failures of electrical power grids, and close-to-chaos operation regions of complex electronics. We see the investigation and analysis of complex network structure and dynamics with data analytics as the key to untangle these and myriad other mysteries."




Correlation pattern dynamics as indicators of large-scale market crash. Stock market shows peculiar patterns before large-scale crashes, as demonstrates for the 2008 crash. The market crash happened on October 15, 2008, leading to the DJIA losing 7.9%. The square blocks visualize the sequence of covariance matrices from twelve share prices (subset of the DJIA constituents) before (10/1/2008–10/14/2008) and after (10/15/2008–10/28/2008) the crash; darker pixels represent higher pair-wise correlations between the share price movements. The diverse correlations as shown in the top row represent typical market behavior weeks before the event. However, starting 10/13 (the second row) not only the overall correlation increased but the pattern persisted through the following week (the third row) during and after the event (10/15). More examples are provided in Supplementary Information 4. Credit: Moon, H. & Lu, T.-C. Network Catastrophe: Self-Organized Patterns Reveal both the Instability and the Structure of Complex Networks. *Sci. Rep.* 5, 9450;

The study's main finding showed that while the pattern is distorted by the network of interactions, its principal mode is invariant to the distortion even when the network constantly evolves – and *Phys.org* asked the scientists how this invariance might reflect the neurobiology of perceptual pattern recognition of ecological invariants, as posited by James .J. Gibson in the theory of Ecological Psychology<sup>6</sup>. "This is a very interesting question," Lu replied. "We may speculate that humans explore such invariant cues to anticipate upcoming transitions. However, individuals may interpret the cues differently; some may go deeper to identify structural-revealing characteristics to optimize and adapt their action relative to critical transitions, while others may simply ignore the signals due to biased beliefs. It's also possible that our brain has been wired to perceive such invariance as we perform perceptual or higher-level cognitive reasoning. There's much to investigate."

"My highly ambitious, yet scientifically unfounded, conjecture," Moon added, "would be that the brain might be performing linear algebra-based spectral analysis to decompose the dynamics and summarize the patterns!"

*Phys.org* also asked the researchers if – given that their analysis of real-world markets shows common self-organized behavior near critical transitions, and therefore that detection of [critical events](#) before they are in full effect is possible, thereby making the question of timescale extrapolation becomes important – they have a sense of the temporal limit on early detection of critical events. "Yes," Lu said, "the timescale extrapolation is very important. As mentioned earlier, our methods depend on the fidelity of the input signals, subject to the data samples

within the sliding and leap time windows used for computing the covariance spectrum – different systems are likely to require different sampling granularity. It would be interesting to explore the theoretical limit for the method to work."



Invariance ( $\mu_1$ ) and pattern revealing properties for a small-world network (top) and a scale-free network (bottom). The horizontal and vertical axes represent the evolution of the networks toward a bifurcation and the eigenvalues, respectively. The inset pictures compare 20x20 node states as patterns in 20x20 pixel values. The locally connected neighbors of the small-world network appear as horizontal strips in the pixel representation, and occasional thick strips capture the long range correlation due to the non-local links that equip the network the small-world property. The structure is amplified near the phase transition. The scale-

free network does not reveal much structure either far from the transition, or near the transition. Credit: Moon, H. & Lu, T.-C. Network Catastrophe: Self-Organized Patterns Reveal both the Instability and the Structure of Complex Networks. *Sci. Rep.* 5, 9450; DOI:10.1038/srep09450 (2015). Copyright © 2015, Rights Managed by Nature Publishing Group. Distributed under Creative Commons CC BY 4.0 license.

"At a basic level," Moon pointed out, "this can be simply a signal-to-noise ratio problem. For a more rigorous characterization of prediction horizon, we envision that recent developments in Gaussian processes and random matrix theory may help." (Gaussian processes are a family of stochastic processes in which every point in an input space is associated with a normally distributed random variable, while a random matrix is a matrix-valued random variable.)

In their paper, the researchers state that they believe that since increased correlation and pattern dynamics are general behaviors of complex networks, their proposed computational tool should find broader applications. "We see potential applications not only in individual application domains, but even more interestingly in interactions among domains, such as social-technological systems, cyber-physical systems, and neurobiological systems," Lu says. "For example, one may speculate if it is even possible to detect a flash crash triggered by self-organized algorithmic trading."

Regarding the planned next steps in their research, Lu tells *Phys.org* that they plan to move forward in three main areas: expanding application areas; deepening their understanding of critical transitions, especially for interacting systems; and building data sources, tools, and statistical methods for thorough evaluations of critical transitions. "We'd also like to track and evaluate real-world impacts of decisions based on the early

warnings our approach generates – for example, we'd be very interested in finding suitable spatiotemporal data collected from natural systems to test our method, especially datasets related to cancer research – and we hope our research can interest more researchers in studying critical [transitions](#) in their fields."

**More information:** Network Catastrophe: Self-Organized Patterns Reveal both the Instability and the Structure of Complex Networks, *Scientific Reports* (2015) **5**:9450, [DOI:10.1038/srep09450](https://doi.org/10.1038/srep09450)

Related:

<sup>1</sup>The Chemical Basis of Morphogenesis (PDF), *Philosophical Transactions of the Royal Society of London* (1952) **237**(641):37–72, [DOI:10.1098/rstb.1952.0012](https://doi.org/10.1098/rstb.1952.0012)

<sup>2</sup>*Stochastic differential equations: theory and applications*, Ludwig Arnold, Krieger Pub Co (May 1992), [ISBN-13: 978-0894646355](https://www.isbn-international.org/product/978-0894646355)

<sup>3</sup>Early-warning signals for critical transitions, *Nature* (2009) **461**: 53–59 (2009), [DOI:10.1038/nature08227](https://doi.org/10.1038/nature08227)

<sup>4</sup>Spatial correlation as leading indicator of catastrophic shifts, *Theoretical Ecology* (2010) **3**(3):163–174, [DOI:10.1007/s12080-009-0060-6](https://doi.org/10.1007/s12080-009-0060-6)

<sup>5</sup>Spatial variance and spatial skewness: leading indicators of regime shifts in spatial ecological systems, *Theoretical Ecology* (2009) **2** (1):163–174, [DOI:10.1007/s12080-008-0033-1](https://doi.org/10.1007/s12080-008-0033-1)

<sup>6</sup>*The Ecological Approach To Visual Perception* (Paperback), James J. Gibson, Psychology Press (1986),

[ISBN-13: 978-0898599596](https://www.isbn-international.org/product/978-0898599596)

© 2015 Phys.org

Citation: It's complicated: Self-organized patterns identify emergent behavior near critical transitions (2015, April 28) retrieved 23 April 2024 from <https://phys.org/news/2015-04-complicated-self-organized-patterns-emergent-behavior.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.