

Conifer study illustrates twists of evolution

April 27 2015, by David Orenstein



Some conifers still have buoyant pollen that, upon contact with an emitted droplet, float up into a downward facing ovule. The mechanism has been evolving out of existence. Credit: Patrick Knopf

A new study offers not only a sweeping analysis of how pollination has evolved among conifers but also an illustration of how evolution—far from being a straight-ahead march of progress—sometimes allows for longstanding and advantageous functions to become irrevocably lost. Moreover, the authors show that the ongoing breakdown of the

successful but ultimately fragile pollination mechanism may have led to a new diversity of traits and functions.

Andrew Leslie, assistant professor of ecology and evolutionary biology, and his co-authors studied more than 460 conifer species to order and trace the evolution of a trio of traits that provide an ancient function of pollination. Many pine and spruce species still exhibit these attributes: pollen grains that are buoyant because of structures called sacci (air filled bladders), downward facing ovules, and the well-timed emission of a drop of liquid.

For a few days a year these trees send their pollen into the wind. The pollen that land on the cone under the ovule become engulfed in the droplet and, because they are buoyant, float up into the ovule. The process has the advantages of filtering out non-bouyant particles, and of guiding a concentration of pollen saccae to the otherwise well-shielded ovule.

"People thought these traits were correlated," said Leslie, first author of the paper in the journal *Evolution*. "What we did was put this in an evolutionary context."

A loose and fragile alliance

What they found is that while the mechanism had apparently served the wide world of conifers well for hundreds of millions of years, it is gradually disappearing. The traits are not strongly linked in the developmental way that, say, bones and muscles and connective tissue would seem to be in a human arm. Instead in the conifers, the linkage among these pollination traits is almost entirely based on their shared function, not on some intermeshed physiology.

Eventually the loose federation began to break down in many species.

Losing any single trait is enough to break the mechanism and for various reasons that remain unknown, some conifer clades lost buoyant saccate pollen, others dropped the droplet and some re-oriented their ovules.

In evolution, the research shows, selection pressure or pure chance can break a functional relationship among such loosely related traits such as the one Leslie studied, even if that relationship has been working well.

In fact, once this pollination mechanism was lost in a species, Leslie's analysis found, it never returned.

Instead, though, the evolutionary record suggests that when the mechanism broke down for conifer species, they became "free" to put the traits to other use, or to evolve entirely new ones, a phenomenon Leslie refers to as "stasis and release."

"In some sense, perhaps, these traits being loosely integrated like this might actually allow them to stumble upon better solutions from time to time," Leslie said.

Many species now have some but not all three of the traits. Junipers, for example, still emit liquid drops to capture pollen from the wind but they no longer have buoyant saccate pollen and while many have downward facing ovules, some do not, Leslie said. Hemlocks, meanwhile, seem to have moved on completely, evolving [pollen](#) that can land anywhere on the cone and grow tubes to make their way to the ovule.

Leslie said he hopes the study will draw attention to the [pollination](#)-by-flotation mechanism as an interesting case study of plant evolution.

"The thing that's interesting about this system is that it's a long-term functional integration that seems to have operated over hundreds of millions of years, but this system shows really well what happens when

these functional interactions break down," Leslie said. "And then traits go off in their own direction."

Provided by Brown University

Citation: Conifer study illustrates twists of evolution (2015, April 27) retrieved 7 September 2024 from <https://phys.org/news/2015-04-conifer-evolution.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.