


# Materials researcher fathoms growth of nanostructures on metal surface

April 29 2015, by Ans Hekkenberg

---



Growth of nanostructures on a copper surface at different temperatures and exposure times. Credit: Tanyeli et al. / Nature Scientific Reports

Materials scientist Irem Tanyeli from energy research institute DIFFER has discovered how you can grow nanostructures in a controlled manner on a variety of metals, by bombarding the metals with helium particles. Such controlled nanostructures provide the possibility of advanced electrodes that produce sustainable fuel using solar energy. Tanyeli and her fellow researchers from DIFFER, ITER and the University of Basel published their results in Nature's *Scientific Reports* on 28 April 2015.

## Blowing bubbles in metal

In their research Tanyeli and her colleagues exposed different metal surfaces to a hot intense beam of charged helium gas (plasma) in DIFFER's plasma experiment [Magnum-PSI](#). Helium easily penetrates into the metal lattice where it forms bubbles that push the surrounding metal outwards. In this way different structures of tens to hundreds of nanometres in size arise per metal. By describing the differences, Tanyeli could analyse which underlying processes formed the nanostructures such as the temperature and the structure of the metal lattice.

That helium plasma can cause a metal to explode in nanostructures had previously been discovered when researchers tested wall materials for fusion energy reactors. They then discovered strange shapes on the [metal](#) wall surface. In a fusion reactor these nanostructures are undesirable because they reduce the discharge of heat, but in other applications the nanostructures are very useful, thinks co-researcher and DIFFER director Richard van de Sanden.

## Fundamental insight


"Irem Tanyeli's research is important due to the fundamental insight", says Van de Sanden. "How do such nanostructures grow on a surface, which processes play a role in that, what are the bottlenecks, and how can you manage the process? If you understand that then you can produce advanced materials on a large-scale that can be given properties to order." That has a wide range of applications in [sustainable energy](#) technologies.



**A nanostructured electrode produced from widely available iron can use sunlight to cheaply produce the energy carrier hydrogen on a large scale. Credit: ICMS / DIFFER**

### **Converting sunlight into hydrogen**

Tanyeli's nanostructures are interesting for catalyst applications such as the use of solar energy to produce hydrogen from water. Widely available and cheap materials can usually not compete against the efficiency of expensive but rare record holders such as platinum. But with the right [nanostructures](#) the cheaper materials can still be made competitive.



Overview (a) and cross-section (b) of nanostructures on an aluminium surface.

Credit: Tanyeli et al. / Nature Scientific Reports

That opens up possibilities for the large-scale storage and conversion of sustainable energy in the form of chemical compounds: solar fuels. Such fuels have no net CO<sub>2</sub>-emission and therefore offer opportunities for the transport sector. Solar fuels are seen as an important way of storing sustainable [energy](#), for example the [solar energy](#) that is generated during the sun-rich summer can be stored for use during the dark winter

**More information:** Surface Modifications induced by high fluxes of low energy helium ions, *Nature Scientific Reports*, 28 April 2015. [DOI: 10.1038/srep09779](#)

Provided by Fundamental Research on Matter (FOM)

Citation: Materials researcher fathoms growth of nanostructures on metal surface (2015, April 29) retrieved 7 August 2024 from <https://phys.org/news/2015-04-materials-fathoms-growth-nanostructures-metal.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--