


Scientists create invisible objects without metamaterial cloaking

April 14 2015



Radio-frequency anechoic chamber used for the experiment. Credit: ITMO University

Physicists from ITMO University, Ioffe Institute and Australian National University managed to make homogenous cylindrical objects completely

invisible in the microwave range. Contrary to the now prevailing notion of invisibility that relies on metamaterial coatings, the scientists achieved the result using a homogenous object without any additional coating layers. The method is based on a new understanding of electromagnetic wave scattering. The results of the study were published in *Scientific Reports*.


The scientists studied light [scattering](#) from a glass cylinder filled with water. In essence, such an experiment represents a two-dimensional analog of a classical problem of scattering from a homogeneous sphere (Mie scattering), the solution to which has been known for almost a century. However, this classical problem contains unusual physics that manifest when materials with high [refractive index](#) values are involved. In the study, the scientists used ordinary water whose refractive index can be regulated by changing temperature.

As it turned out, high refractive index is associated with two scattering mechanisms: resonant scattering, which is related to the localization of light inside the cylinder, and non-resonant, which is characterized by smooth dependence on the wave frequency. The interaction between these mechanisms is referred to as Fano resonance. The researchers discovered that at certain frequencies, waves scattered via resonant and non-resonant mechanisms have opposite phases and are mutually destroyed, thus making the object invisible.

The work led to the first experimental observation of an invisible homogeneous object by means of scattering cancellation. Importantly, the technique made it possible to switch from visibility to invisibility regimes at the same frequency of 1.9 GHz by simply changing the temperature of the water in the cylinder from 90 °C to 50 °C.

"Our theoretical calculations were successfully tested in microwave experiments. What matters is that the invisibility idea we implemented

in our work can be applied to other electromagnetic wave ranges, including to the visible range. Materials with corresponding refractive indices are either already known or can be developed at will," said Mikhail Rybin, first author of the paper and senior researcher at the Metamaterials Laboratory in ITMO University.



Scattering calculations from a single cylinder filled with water. Shown are:

strong scattering in uncloaked regimes at (a,e) $x = 0.485$ and (c,g) $x = 1.48$, as well as Fano cloaking regimes at (b,f) $x_{\text{cloak}} = 0.505$ and (d,h) $x_{\text{cloak}} = 1.504$.
Credit: *Scientific Reports*

The discovery of invisibility in a homogenous object and not an object covered with additional coating layers is also important from an engineering point of view. Because it is much easier to produce a homogeneous cylinder, the discovery could prompt further development of nanoantennas, wherein invisible structural elements could help reduce disturbances. For instance, invisible rods could be used as supports for a miniature antenna complex connecting two optical chips.

The subject of invisibility became prominent with the development of metamaterials - artificially designed structures with optical properties that are not encountered elsewhere in nature. Metamaterials are capable of changing the direction of light in exotic ways, including making light curve around the cloaked object. Nevertheless, coating layers based on metamaterials are extremely hard to fabricate and are not compatible with many other invisibility ideas. The method developed by the group is based on a new understanding of scattering processes and leaves behind the existing ones in simplicity and cost-effectiveness.

Provided by ITMO University

Citation: Scientists create invisible objects without metamaterial cloaking (2015, April 14)
retrieved 25 April 2024 from
<https://phys.org/news/2015-04-scientists-invisible-metamaterial-cloaking.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
