


New solar telescope peers deep into the sun to track the origins of space weather

April 28 2015



Fine details of a magnetic flux rope captured by the New Solar Telescope at Big Bear Solar Observatory for Solar Active Region 11817 on 2013 August 11. The structure is further demonstrated by the 3-D magnetic modeling based the observations of Helioseismic and Magnetic Imager on board Solar Dynamic Observatory. Credit: Chang Liu

Scientists at NJIT's Big Bear Solar Observatory (BBSO) have captured

the first high-resolution images of the flaring magnetic structures known as solar flux ropes at their point of origin in the Sun's chromosphere. Their research, published today in *Nature Communications*, provides new insights into the massive eruptions on the Sun's surface responsible for space weather.

Flux ropes are bundles of magnetic fields that together rotate and twist around a common axis, driven by motions in the photosphere, a high-density layer of the Sun's atmosphere below the solar corona and chromosphere. The NJIT images were taken from observations of the newly commissioned 1.6m New Solar Telescope (NST) at BBSO.

"These twisting magnetic loops have been much studied in the Sun's corona, or outer layer, but these are the first [high-resolution images](#) of their origination in the chromosphere below it. For the first time, we can see their twisting motion in great detail and watch how it evolves," said Haimin Wang, distinguished professor of physics at NJIT and the study's lead author.

Wang and his co-authors strung together a series of images which trace the formation of an S-shaped bundle of magnetic fields from which a set of loops peel off and grow upward into a multi-strand flux rope within a few minutes. Two flare ribbons appear at the two sides of the rising flux rope.

"We have been looking for erupting twisted solar flux ropes in the chromosphere, but observations of these eruptions under excellent conditions are very rare," Wang said, adding that the NST images they captured provide unprecedented detail, as well as powerful new clues about their initiation and their relationship to [solar eruptions](#) and [coronal mass ejections](#).

Energy releases in solar flares and associated forms of eruptions occur

when [magnetic field](#) lines, with their powerful underlying electric currents, are twisted beyond a critical point that can be measured by the number of turns in the twist. The largest of these eruptions cause what is known as [space weather](#) - the radiation, energetic particles and magnetic field releases from the Sun powerful enough to cause severe effects in Earth's near environment, such as the disruption of communications, power lines and navigations systems.

"One of the exciting things about these new images is that we can now distinguish between mild twists and those severe enough to cause space weather," said Wang, who likened the eruptions to earthquakes, which are energy releases following the build-up of tension as tectonic plates rub against each other along fault lines. The team is developing tools to predict space weather from solar observations and modeling.

Provided by New Jersey Institute of Technology

Citation: New solar telescope peers deep into the sun to track the origins of space weather (2015, April 28) retrieved 10 April 2024 from <https://phys.org/news/2015-04-solar-telescope-peers-deep-sun.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
