


# New techniques for eye-gaze tracking could change computer interaction

April 24 2015

---



Mice, and now touchscreens, have become a daily part of our lives in the way we interact with computers. But what about people who lack the ability to use a mouse or touchscreen? Or situations where these would be impractical or outright dangerous?

Many researchers have explored eye-gaze [tracking](#) as a potential control

mechanism. These tracking mechanisms have become sophisticated and small enough that they currently feature in devices such as smartphones and tablets. But on their own, these mechanisms may not offer the precision and speed needed to perform complex computing tasks.

Now, a team of researchers at the Department of Engineering has developed a computer control interface that uses a combination of eye-gaze tracking and other inputs. The team's research was published in a paper, 'Multimodal Intelligent Eye-Gaze Tracking System', in the International Journal of Human-Computer Interaction.

Dr Pradipta Biswas, Senior Research Associate in the Department's Engineering Design Centre, and the other researchers provided two major enhancements to a standalone gaze-tracking system. First, sophisticated software interprets factors such as velocity, acceleration and bearing to provide a prediction of the user's intended target. Next, a second mode of input is employed, such as a joystick.

"We hope that our eye-gaze tracking system can be used as an assistive technology for people with severe mobility impairment," Pradipta said.

"We are also exploring the potential applications in military aviation and automotive environments where operators' hands are engaged with controlling an aircraft or vehicle."

## **The selection problem**

One challenge that arises when designing such a system is that once the target is selected, how does the user indicate a desire for selection? On a typical personal computer, this is accomplished with a click of the [mouse](#); with a phone or tablet, a tap on the screen.

Basic eye-gaze tracking systems often use a signal such as blinking the eyes to indicate this choice. However, blinking is not often ideal. For

example, in combat situations, pilots' eyes might dry up, precluding their ability to blink at the right time.

Pradipta's team experimented with several ways to solve the selection problem, including manipulating joystick axes, enlarging predicted targets, and using a spoken keyword such as 'fire' to indicate a target.

Unsurprisingly, they found that a mouse remains the fastest and least-cognitively stressful method of selecting a target – possibly assisted by the fact that most computer users are already comfortable with this technique. But, a multimodal approach combining eye-gaze tracking, predictive modelling, and a joystick can almost match a mouse in terms of accuracy and cognitive load. Further, when testing computer novices and with sufficient training in the system, the intelligent multimodal approach can even be faster.

The hope is that these revelations will lead to systems that perform as well – or better – than a mouse. "I am very excited for the prospects of this research," Pradipta said. "When clicking a mouse isn't possible for everyone, we need something else that's just as good."

**More information:** "Eye-gaze Tracking Based Interaction in India," *Procedia Computer Science*, Volume 39, 2014, Pages 59-66, ISSN 1877-0509, [dx.doi.org/10.1016/j.procs.2014.11.010](https://doi.org/10.1016/j.procs.2014.11.010)

Provided by University of Cambridge

Citation: New techniques for eye-gaze tracking could change computer interaction (2015, April 24) retrieved 21 July 2024 from <https://phys.org/news/2015-04-techniques-eye-gaze-tracking-interaction.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.