

Kepler's six years in science (and counting)

May 13 2015, by Whitney Clavin



NASA's Kepler: Six Years of Science. Credit: NASA/JPL-Caltech



NASA's Kepler spacecraft began hunting for planets outside our solar system on May 12, 2009. From the trove of data collected, we have learned that planets are common, that most sun-like stars have at least one planet and that nature makes planets with unimaginable diversity.

Kepler launched on March 6, 2009. Its mission was to survey a portion of our galaxy to determine what fraction of <u>stars</u> might harbor potentially habitable, Earth-sized exoplanets, or <u>planets</u> that orbit other stars. Of particular interest are exoplanets orbiting in the <u>habitable zone</u> —the range of distance from a star in which the surface temperature of an orbiting planet might sustain liquid water. For life as we know it, <u>liquid water</u> is a necessary ingredient.

Of the more than 1,000 confirmed planets found by Kepler, eight are less than twice the size of Earth and are in their stars' habitable zone. All eight orbit stars cooler and smaller than our sun.

During its four-year prime mission, Kepler simultaneously and continuously measured the brightness of more than 150,000 stars, looking for the telltale dimming that would indicate the presence of an orbiting planet. From these dimmings, or transits, and information about the parent star, researchers can determine a planet's size (radius), the time it takes to orbit its star and the amount of energy received from the host star.

Kepler's exquisitely precise photometer, or light sensor, was designed to detect minute changes in brightness, in order to infer the presence of an Earth-sized planet. For a remote observer, Earth transiting the sun would dim its light by less than 1/100th of one percent, or the equivalent of the amount of light blocked by a gnat crawling across a car's headlight viewed from several miles away.





The artistic concept shows NASA's planet-hunting Kepler spacecraft operating in a new mission profile called K2. Using publicly available data, astronomers may have confirmed K2's first discovery of star with more than one planet. Credit: NASA Ames/JPL-Caltech/T Pyle

In May 2014, the Kepler spacecraft began a new mission, K2, to observe parts of the sky along the ecliptic plane, the orbital path of = Earth about the sun, where the familiar constellations of the zodiac lie. This new mission provides scientists with an opportunity to search for even more exoplanets, as well as opportunities to observe notable star clusters,



young and old stars, active galaxies and supernovae. The spacecraft continues to collect data in its new mission.

Provided by Jet Propulsion Laboratory

Citation: Kepler's six years in science (and counting) (2015, May 13) retrieved 3 May 2024 from <u>https://phys.org/news/2015-05-kepler-years-science.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.