

New research reveals first warm-blooded fish

May 14 2015



NOAA Fisheries biologist Nick Wegner holds an opah caught during a research

survey off the California Coast. Credit: NOAA Fisheries/Southwest Fisheries Science Center

New research by NOAA Fisheries has revealed the opah, or moonfish, as the first fully warm-blooded fish that circulates heated blood throughout its body much like mammals and birds, giving it a competitive advantage in the cold ocean depths.

The silvery fish, roughly the size of a large automobile tire, is known from oceans around the world and dwells hundreds of feet beneath the surface in chilly, dimly lit waters. It swims by rapidly flapping its large, red pectoral fins like wings through the water.

Fish that typically inhabit such cold depths tend to be slow and sluggish, conserving energy by ambushing prey instead of chasing it. But the opah's constant flapping of its fins heats its body, speeding its metabolism, movement and reaction times, scientists report in the journal *Science*.

That warm-blooded advantage turns the opah into a high-performance predator that swims faster, reacts more quickly and sees more sharply, said fisheries biologist Nicholas Wegner of NOAA Fisheries' Southwest Fisheries Science Center in La Jolla, Calif., lead author of the new paper.

"Before this discovery I was under the impression this was a slow-moving fish, like most other fish in cold environments," Wegner said. "But because it can warm its body, it turns out to be a very active predator that chases down agile prey like squid and can migrate long distances."

Gills show unusual design

Wegner realized the opah was unusual when a coauthor of the study, biologist Owyn Snodgrass, collected a sample of its gill tissue. Wegner recognized an unusual design: Blood vessels that carry warm blood into the fish's gills wind around those carrying cold blood back to the body core after absorbing oxygen from water.



Along with other areas of the body, the elevation of temperature of the eye and brain should allow opah to increase visual temporal resolution and neural conductance. Credit: NOAA Fisheries, Southwest Fisheries Science Center

The design is known in engineering as "counter-current heat exchange." In opah it means that warm blood leaving the body core helps heat up cold blood returning from the respiratory surface of the gills where it absorbs oxygen. Resembling a car radiator, it's a natural adaptation that conserves heat. The unique location of the heat exchange within the gills allows nearly the fish's entire body to maintain an elevated temperature, known as endothermy, even in the chilly depths.

"There has never been anything like this seen in a fish's gills before," Wegner said. "This is a cool innovation by these animals that gives them a competitive edge. The concept of counter-current heat exchange was invented in fish long before we thought of it."



An opah caught during a NOAA Fisheries survey off the California Coast.
Credit: NOAA Fisheries/Southwest Fisheries Science Center

The researchers collected temperature data from opah caught during surveys off the West Coast, finding that their [body temperatures](#) were regularly warmer than the surrounding water. They also attached temperature monitors to opah as they tracked the fish on dives to several hundred feet and found that their body temperatures remained steady even as the water temperature dropped sharply. The fish had an average muscle temperature about 5 degrees C above the surrounding water while swimming about 150 to 1,000 feet below the surface, the researchers found.

While mammals and birds typically maintain much warmer body temperatures, the opah is the first fish found to keep its whole body warmer than the environment.

A few other fish such as tuna and some sharks warm certain parts of their bodies such as muscles, boosting their swimming performance. But internal organs including their hearts cool off quickly and begin to slow down when they dive into cold depths, forcing them to return to shallower depths to warm up.

Warmth provides competitive edge

Satellite tracking showed opah spend most of their time at depths of 150 to 1,300 feet, without regularly surfacing. Their higher body temperature should increase their muscle output and capacity, boost their eye and brain function and help them resist the effects of cold on the heart and other organs, Wegner said.



An opah is released with sensors to track temperatures as it dives. Credit: NOAA Fisheries/Southwest Fisheries Science Center

Fatty tissue surrounds the gills, heart and muscle tissue where the opah generates much of its internal heat, insulating them from the frigid water.

Other fish have developed limited warm-bloodedness (known as regional endothermy) to help expand their reach from shallower waters into the colder depths. But the opah's evolutionary lineage suggests that it evolved its warming mechanisms in the cold depths, where the fish can

remain with a consistent edge over other competitors and prey. Recent research has found distinctive differences among opah from different parts of the world, and Wegner said scientists are now interested in comparing warm-blooded features among them.

"Nature has a way of surprising us with clever strategies where you least expect them," Wegner said. "It's hard to stay warm when you're surrounded by cold water but the opah has figured it out."

NOAA research surveys off California have caught more opah in recent years, but biologists are not sure why. Current conditions may be favoring the fish, or their population may be growing. Opah are not usually targeted by fishermen off California but local recreational anglers and commercial fisheries occasionally catch the species. The opah's rich meat has become increasingly popular in seafood markets.

"Discoveries like this help us understand the role species play in the marine ecosystem, and why we find them where we do," said Francisco Werner, director of the Southwest Fisheries Science Center. "It really demonstrates how much we learn from basic research out on the water, thanks to curious scientists asking good questions about why this [fish](#) appeared to be different."

More information: Whole-body endothermy in a mesopelagic fish, the opah, *Lampris guttatus*, *Science*, www.sciencemag.org/lookup/doi/10.1126/science.aaa8902

Provided by NOAA National Marine Fisheries Service

Citation: New research reveals first warm-blooded fish (2015, May 14) retrieved 3 May 2024 from <https://phys.org/news/2015-05-reveals-warm-blooded-fish.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.