

Textiles with metal-organic framework materials adsorb and degrade chemical warfare agents

May 21 2015



Air filters, such as those used in masks, for protection against chemical weapons are mainly based on the adsorption of toxins. Such filters have a limited capacity to capture the toxins and once they are contaminated can become a dangerous source of emissions themselves. Spanish scientists have now introduced a new approach for making self-detoxifying filters that can degrade the chemical weapons. As reported in the journal *Angewandte Chemie*, these filters are based on airpermeable textiles that are impregnated with special, catalytically active metal–organic framework materials.



The disadvantage of conventional, activated carbon <u>filters</u> is that though they initially adsorb chemical weapons, they do not destroy them. Contaminated filters are thus dangerous and must be disposed of at a significant cost. A preferable alternative would be filters that not only capture highly toxic substances, but also immediately degrade them.

A team headed by Jorge A. R. Navarro and Elisa Barea, scientists from the Universidad de Granada (Spain) and the Instituto Murciano de Investigación y Desarrollo Agrario y Alimentario (La Alberca, Spain), has now developed a new technique for making self-detoxifying filters. Their approach is based on metal–organic frameworks, which consist of metallic "nodes" bound into three-dimensional frameworks by organic components that link them together. The resulting materials are highly porous crystalline solids that can adsorb molecules into their pores. Given the right composition, these materials can also be catalytically active. The researchers made use of this trait to create an MOF tailored to make chemical weapons harmless.

Their starting point was a zirconium-containing MOF called UiO-66 whose special structure allows it to split organophosphates in the presence of moisture. The researchers additionally incorporated special organolithium compounds into the framework. This produces a significantly more catalytically active material that very efficiently splits the phosphorous–fluorine, phosphorous–oxygen, and carbon–chlorine bonds commonly found in <u>chemical weapons</u>.

The scientists impregnated silk fabric with this newly developed MOF, which forms nanocrystalline deposits on the silk fibers. This results in airpermeable textiles that can rapidly and efficiently detoxify <u>chemical</u> <u>warfare agents</u>, as demonstrated with tests using harmless, but chemically similar model substances.

The reported breakthrough might be of interest for the future



development of self-detoxifying filter technology for both individual and collective protective systems.

Another strategy with the same starting point was chosen by American researchers: by varying the structure of the UiO-66 framework they were able to achieve a very quick hydrolysis of nerve gas simulants in a plug-flow reactor.

More information: "Textile/Metal–Organic-Framework Composites as Self-Detoxifying Filters for Chemical-Warfare Agents." *Angew. Chem. Int. Ed.*. doi: 10.1002/anie.201502094

Provided by Angewandte Chemie

Citation: Textiles with metal-organic framework materials adsorb and degrade chemical warfare agents (2015, May 21) retrieved 26 April 2024 from <u>https://phys.org/news/2015-05-textiles-metal-organic-framework-materials-adsorb.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.