

# Wetlands continue to reduce nitrates

May 12 2015

---



A spring view of wetlands along the Embarras River in southern Champaign County. The wetlands were constructed and first studied for nitrate runoff from 1994-98. Results from recently conducted research on the same wetlands show an overall 62 percent nitrate removal rate and little emission of nitrous oxide, a potent greenhouse gas. Credit: University of Illinois

Wetlands created 20 years ago between tile-drained agricultural fields

and the Embarras River were recently revisited for a new two-year University of Illinois research project. Results show an overall 62 percent nitrate removal rate and little emission of nitrous oxide, a potent greenhouse gas.

"Slowing down the rate of flow of the water by intercepting it in the wetland is what helps to remove the [nitrate](#)," says Mark David, a University of Illinois biogeochemist in the College of Agricultural, Consumer and Environmental Sciences. "The vegetation that grows in the wetland doesn't make much of a difference because the grasses don't take up much nitrogen. It's just about slowing the water down and allowing the microbes in the sediment to eliminate the nitrate. It goes back into the air as harmless nitrogen gas."

David was involved with research on these same wetlands from 1994-98 but didn't take any measurements after that. He has spent much of his career studying the runoff from tile-drained fields and methods to reduce losses of nitrate and phosphorus. The runoff, particularly nitrate, from fields in the upper Mississippi River basin, is believed to be the major cause of the hypoxia in the Gulf of Mexico.

"The USDA requested proposals on the effectiveness of wetlands and woodchip bioreactors to reduce nitrate losses from fields, but was also concerned about greenhouse gas emissions," says David. Working with graduate student and lead author Tyler Groh, "We found the greenhouse gas emissions were really quite low. Nitrous oxide was not a problem. The other good news is that this research confirms that wetlands really do work to reduce nitrate runoff, and they work long term."

David says that, along with fertilizer management, cover crops, and bioreactors, wetlands are an integral part of the Illinois Nutrient Loss Reduction Strategy. Building a wetland costs about the same as installing a bioreactor.

One of the reasons David prefers wetlands to help solve the nitrogen pollution problem is that they work reasonably well in the winter when the water temperatures are low.

## **What's the drawback?**

"Farmland along the river may be flood prone, but depending upon the landscape, it could be farmable land," says Lowell Gentry, senior research specialist and co-principal investigator on the project. "In this case, it was pasture so the wetlands didn't reduce the row-crop acreage, and the landowner was able to use it as hunting grounds. Our project included funds to build new wetlands, but we couldn't convince anyone to do it. Wetlands have been a hard sell.

"Farmers generally prefer to install bioreactors because they don't take up much space," Gentry says. "A wetland requires about 3 to 4 percent of the drainage area. So, for a 100-acre field, you'd need about 4 acres in wetland. Although bioreactors don't use much land, they also don't slow the water enough during high flows. Research on their performance is still underway. Because water tends to be in the wetlands for a much longer time period, they are more effective."

David says there has been a push from environmental groups for years to build more wetlands to help lower the nitrate levels. There are a few in the Lake Bloomington watershed but not in the Embarras River watershed, even after all this time.

"No one wants to mandate a certain practice—wetlands, bioreactors, cover crops, adjusting the timing of applying fertilizer—all of these things that we know help reduce nutrient loss," says David. "But, because of this research, we know that [wetlands](#) are a long-term nitrate removal method that keeps on working with little [greenhouse gas](#) emission. By building a wetland, farmers have an opportunity to make a substantial

nitrate reduction in the transport of nitrate from their fields to the Gulf."

**More information:** "Nitrogen removal and greenhouse gas emissions from constructed wetlands receiving tile drainage water" is published in the *Journal of Environmental Quality*.

Provided by University of Illinois at Urbana-Champaign

Citation: Wetlands continue to reduce nitrates (2015, May 12) retrieved 25 April 2024 from <https://phys.org/news/2015-05-wetlands-nitrates.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--