

3D plasmonic antenna capable of focusing light into few nanometers

June 25 2015




Figure 1: 3D Gap-Plasmon Antenna Structure and the Simulation Results.
Credit: KAIST

Professors Myung-Ki Kim and Yong-Hee Lee of the Physics Department at KAIST and their research teams developed a 3D gap-plasmon antenna which can focus light into a few nanometers wide space. Their research findings were published in the June 10th issue of *Nano Letters*.

Focusing [light](#) into a point-like space is an active research field as it finds many applications. However, concentrating light into a smaller space than its wavelength is often hindered by diffraction. In order to tackle this problem, many researchers have utilized the plasmonic

phenomenon in a metal where light can be confined to a greater extent by overcoming the diffraction limit.

Many researchers focused on developing a two dimensional plasmonic antenna and were able to focus light under 5 nanometers. However, this two dimensional antenna reveals a challenge that the light disperses to the opposite end regardless of how small it was focused. For a solution, a three dimensional structure has to be employed in order to maximize the [light intensity](#).

Adopting the proximal focused-ion-beam milling technology, the KAIST research team developed a three dimensional 4 nanometer wide gap-plasmon antenna. By squeezing the photons into a three dimensional nano space of $4 \times 10 \times 10 \text{ nm}^3$ size, the researchers were able to increase the intensity of light 400,000 times stronger than that of the incident light. Capitalizing on the enhanced intensity of light within the [antenna](#), they intensified the second-harmonic signal and verified that the light was focused in the nano gap by scanning cathodoluminescence images.

This technology is expected to improve the speed of data transfer and processing up to the level of terahertz (one trillion times per second) and to enlarge the storage volume per unit area on hard disks by 100 times. In addition, high definition images of sub-molecule size can be taken with actual light, instead of using an electron microscope, while it can improve the semiconductor process to a smaller size of few nanometers.

Professor Kim said, "A simple yet genuine idea has shifted the research paradigm from 2D gap-plasmon antennas to 3D antennas. This technology sees numerous applications including in the field of information technology, data storage, image medical science, and semiconductor process."




Figure 2: Constructed 3D Gap-Plasmon Antenna Structure. Credit: KAIST

More information: "Squeezing Photons into a Point-Like Space."
Nano Lett., 2015, 15 (6), pp 4102–4107 [DOI:
 10.1021/acs.nanolett.5b01204](https://doi.org/10.1021/acs.nanolett.5b01204)

Provided by The Korea Advanced Institute of Science and Technology (KAIST)

Citation: 3D plasmonic antenna capable of focusing light into few nanometers (2015, June 25) retrieved 25 April 2024 from <https://phys.org/news/2015-06-3d-plasmonic-antenna-capable-focusing.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.