

# Astronomers create array of Earth-like planet models

June 16 2015, by Blaine Friedlander

---



This artist's conception shows a hypothetical habitable planet with two moons orbiting a red dwarf star. Astronomers have found that 6 percent of all red dwarf stars have an Earth-sized planet in the habitable zone, which is warm enough for liquid water on the planet's surface. Since red dwarf stars are so common, then statistically the closest Earth-like planet should be only 13 light-years away.

Credit: David A. Aguilar (CfA)

To sort out the biological intricacies of Earth-like planets, astronomers have developed computer models that examine how ultraviolet radiation from other planets' nearby suns may affect those worlds, according to new research published June 10 in *Astrophysical Journal*.

"Depending on the intensity, ultraviolet radiation can be both useful and harmful to the origin of life," says Lisa Kaltenegger, Cornell associate professor of astronomy and the director of Cornell's new [Carl Sagan Institute: Pale Blue Dot and Beyond](#). "We are trying to ascertain how much radiation other young Earths would get and what that could mean for the possibility for life."

The study, "UV Surface Environment of Earth-like Planets Orbiting FGKM Stars Through Geological Evolution," was prepared by lead author Sarah Rugheimer, Cornell research associate at the Carl Sagan Institute; Antígona Segura of Universidad Nacional Autónoma de México; Dimitar Sasselov of the Harvard Smithsonian Center for Astrophysics; and Kaltenegger.

"We're going to see all kinds of planets in all kinds of stages in their own evolution, but we wanted to take four kinds of epochs from Earth history, as samples of what we might see," said Rugheimer. "With the next generation of missions, we expect to observe a wide diversity of extrasolar planets."

Borrowing from deep into Earth's history, Rugheimer and co-authors modeled the first epoch, a pre-biotic world with a carbon dioxide-dominated atmosphere, similar to early Earth 3.9 billion years ago. The second epoch – about 2 billion years ago – spawned the first whiff of oxygen, an active biosphere and the process of biosynthesis. Oxygen started to rise from the first cyanobacteria to the 1 percent concentration of current levels.

"It's not just the amount of ultraviolet radiation, but also the specific types of [ultraviolet radiation](#) which will impact biology," Rugheimer said. "We consider which wavelengths are most damaging to DNA and other biomolecules in addition to just looking at the total amount of radiation."

Multicellular life started about 800 million years ago, and the group modeled a third epoch, where oxygen rose to about 10 percent of today's levels. The fourth epoch corresponds to modern Earth, where the atmosphere features a carbon dioxide ratio of about 355 parts per million with current oxygen levels.

The researchers noted that for all epochs after the rise of oxygen the hottest and coolest stars have less biologically effective radiation. For the hottest stars, this is due to increased ozone shielding from higher UV environments, and for the coolest stars this is due to less absolute UV flux.

Rugheimer, who conducted the research while she was a doctoral student at Harvard University, explained that astrobiology draws researchers across disciplines and noted: "This work provides a link from the astrophysical conditions we expect to find on other planets to the origin-of-life experiments happening on here on Earth."

**More information:** "UV Surface Environment Of Earth-Like Planets Orbiting FGKM Stars Through Geological Evolution." S. Rugheimer et al. 2015 *ApJ* 806 137 [DOI: 10.1088/0004-637X/806/1/137](https://doi.org/10.1088/0004-637X/806/1/137)

Provided by Cornell University

Citation: Astronomers create array of Earth-like planet models (2015, June 16) retrieved 28 April 2024 from <https://phys.org/news/2015-06-astronomers-array-earth-like-planet.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---