

## **Computers get with the beat: Automatic classification of music by genre**

June 29 2015

As yet another music streaming service comes online to rival the countless available outlets for so many different genres, a new approach to classifying music to make archiving, sorting and music discovery easier is published in the *International Journal of Computational Intelligence Studies*.

Rare is the musical artist described as <u>genre</u>-defying. Most singers and musicians tend to stick to a particular genre, whether electronic dance music, reggae, classical, folk, jazz, rock or Indian genres such as Bhangra and Ghazal, or any of hundreds of other categories. Listeners might categorize any given song into one of a few dozen genres with which they are familiar while dedicated fans of a specific genre may well distinguish between dozens of sub-genres within each classification. In the age of digital distribution and archiving of music and music recommendation systems it makes sense to have a way to automate the process of genre categorization.

Now, researchers in India have devised a simple system that, rather than attempting to quantify many different parameters - tempo, pulse, loudness, melody, rhythm, timbre etc - focuses on just pitch, tempo, amplitude variation pattern and periodicity in order to tag a given song as belonging to a specific genre. Their approach uses random sample consensus (RANSAC) as a classifier.

In the team's approach their system decomposes, or breaks down, the sound signal into 88 frequency bands, divides each sub-band into short



duration frames and for each frame, computes the short-time meansquare power (STMSP) and the average STMSP, this gives a metric for pitch. The team demonstrates that for seven major <u>musical genres</u>, this metric is very distinct. In order to be more precise, however, they also measure rhythm or tempo of a song, which is an important perceptual description essentially independent of melody. Tempo can be extracted from a sound file using a mathematical process known as a Fourier transform that gives the metric in beats per minute (BPM).

Pitch and tempo can both help decide on genre, but there is often overlap. For instance, these characteristics are often similar in North Indian Bhangra and Western rock music. So, another metric - amplitude variation - is also added to the mix. Additionally, the team also uses correlation-based periodicity. This is another perceptual feature which captures the repetitions within a given signal.

The team has now tested their genre identification system against earlier models by other researchers on a database of songs and then compared that to manual categorization. Their results show their system to be "substantially better" and it might readily be incorporated into a music database or online <u>music</u> recommendation service.

**More information:** Ghosal, A., Chakraborty, R., Dhara, B.C. and Saha, S.K. (2015) 'Perceptual feature-based song genre classification using RANSAC', *Int. J. Computational Intelligence Studies*, Vol. 4, No. 1, pp.31-49.

Provided by Inderscience Publishers

Citation: Computers get with the beat: Automatic classification of music by genre (2015, June 29) retrieved 1 May 2024 from <u>https://phys.org/news/2015-06-automatic-classification-music-</u>



## genre.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.