

# Increased carbon dioxide levels in air restrict plants' ability to absorb nutrients

June 12 2015

---



Rice In Japan. Credit: Kazuhiko Kobayashi

The rapidly rising levels of carbon dioxide in the atmosphere affect plants' absorption of nitrogen, which is the nutrient that restricts crop growth in most terrestrial ecosystems. Researchers at the University of Gothenburg have now revealed that the concentration of nitrogen in plants' tissue is lower in air with high levels of carbon dioxide, regardless of whether or not the plants' growth is stimulated. The study has been

published in the journal Global Change Biology.

Researcher Johan Uddling has been working with Swedish and international colleagues to compile data on how raised levels of carbon dioxide impact on plant growth and nitrogen absorption.

## **Plant quality impaired by increased carbon dioxide levels**

The study examines various types of ecosystems, including crops, grasslands and forests, and involves large-scale field experiments conducted in eight countries on four continents.

"The findings of the study are unequivocal. The [nitrogen content](#) in the crops is reduced in atmospheres with raised carbon dioxide levels in all three ecosystem types. Furthermore, we can see that this negative effect exists regardless of whether or not the plants' growth increases, and even if fertiliser is added. This is unexpected and new," says Johan Uddling, senior lecturer at the Department of Biological and Environmental Sciences at the University of Gothenburg.

## **Significance of food quality, biodiversity and productivity**

When carbon dioxide levels in the air increase, crops in future will have a reduced nitrogen content, and therefore reduced protein levels. The study found this for both wheat and rice, the two most important crops globally. The study also reveals that the strength of the effect varies in different species of grassland, which may impact on the species composition of these ecosystems.

"For all types of ecosystem the results show that high carbon dioxide

levels can impede plants' ability to absorb nitrogen, and that this negative effect is partly why raised carbon dioxide has a marginal or non-existent effect on growth in many ecosystems," says Johan Uddling.

## Accepted "truths" do not hold



Pine forest in North Carolina. Credit: Will Owens

Reduced nitrogen content in atmospheres with raised [carbon dioxide](#) has

previously been attributed to a kind of dilutive effect, in which nitrogen absorption fails to keep pace with the increase in plants' photosynthesis and growth.

"The findings of this study show that this interpretation is simplified and partly incorrect. We are seeing reduced nitrogen content even when growth has not been affected. Moreover, the effect is there in trials with powerful fertiliser, which indicates that it is not down to limited access to nitrogen in the soil. Future studies should look at what is causing the effect, but it appears to be linked to plants' capacity to absorb [nitrogen](#) rather than to changed levels in the soil," says Johan Uddling.



Grasslands in Minnesota. Credit: Cedar Creek Ecosystem Science Reserve

**More information:** "Constraints to nitrogen acquisition of terrestrial plants under elevated CO<sub>2</sub>." *Global Change Biology*.  
doi: 10.1111/gcb.12938

Provided by University of Gothenburg

Citation: Increased carbon dioxide levels in air restrict plants' ability to absorb nutrients (2015, June 12) retrieved 27 April 2024 from <https://phys.org/news/2015-06-carbon-dioxide-air-restrict-ability.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.