


Mini laser for real-time quality control

June 1 2015



Scientists will soon be tracking the course of chemical reactions in real time. A quantum cascade laser, which records 1,000 spectra/second, makes it all possible. Credit: Fraunhofer IAF

Good quality and precision are essential – a dictum that also applies to products from the pharmaceutical and chemical industry. While the quality of chemical products is often still being monitored manually

during the production process, a laser-based system could take over this task in future, allowing for a continuous monitoring in real time.

Pharmaceutical industry, food production or industrial manufacturing: new products are constantly being brought to market, with improved active ingredients or less negative side-effects. One important point in the development of material compositions, such as pills or capsules: their quality has to be impeccable. To verify if the chemical reaction proceeded as desired, samples are taken from the reaction vessels and examined in the laboratory, applying chromatography or spectroscopy. A costly and tedious endeavor that however only allows an investigation based on random samples.

Continuous analysis in real time

This process might soon be simplified with the help of a novel [infrared laser](#) developed by researchers at the Fraunhofer Institutes for Applied Solid State Physics IAF in Freiburg and for Photonic Microsystems IPMS in Dresden. "Our quantum cascade lasers facilitate a new kind of spectroscopy," explains Dr. Ralf Ostendorf, project manager at Fraunhofer IAF. "The process of [chemical reactions](#) – as, for example, in the development of new pharmaceuticals – could soon be continuously monitored in [real time](#), rather than analyzing random samples, as done in current monitoring processes." The key principle is as follows: The laser sends infrared light into the reaction vessel. The substances it contains absorb a portion of the light; the rest is scattered back and analyzed by a detector. Each substance "swallows" the light at different specific wavelengths. The result is an absorption spectrum which allows to precisely identify each substance – similar to the identification of a human being based on his finger print. With this kind of spectrometer, it will soon be possible to precisely determine the concentration of the reactant materials in the reaction vessel as well as the quantities already transformed into the end product – at any point of time during the

reaction process.

Thousand spectra per second

For this, the laser needs to meet several requirements: the emitted laser light should consist of one specific wavelength only and, moreover, has to be constantly adjustable over a vast spectral range. Thus, the [laser light](#) initially has a short wavelength which is gradually increased up to a designated value – before the procedure restarts from the beginning. The detector then determines for each wavelength, how much light is scattered back by the respective sample. A further challenge: the process of switching the laser's emission wavelength has to be as fast as possible. Up to now, the laser needed a few seconds to tune through every wavelength and to determine the actual state of the chemical reaction being analyzed. Researchers from Fraunhofer IPMS were now able to increase this speed by a factor of 1,000 by applying a micromechanical scanning mirror. Instead of one spectrum per second, they now succeed in recording 1,000 spectra per second.

Hardly any bigger than a matchbox

The laser is just barely larger than a matchbox. Thus, it is not only suitable for the reaction vessels used in the pharmaceutical and [chemical industry](#), it also facilitates other applications. Conceivable for the future, for instance, could be a hand-held device that would allow a police officer or customs officer to inspect suspicious substances both quickly and easily. Are we dealing with something insignificant, like flour or harmless powder – or illicit drugs? To answer this question, the agents merely would have to direct the laser beam at the substance. The detector analyzes the recorded spectrum, an underlying software compares it to numerous stored comparison spectra – and in a matter of seconds, the officers have clarity about the investigated substance.

A laboratory demonstrator model of the [quantum cascade laser](#) has already been realized. The researchers from the two Fraunhofer Institutes aim at developing a prototype of the laser by the end of 2015. On the trade fair 'Laser – World of Photonics' from June 22 – 25 in Munich, the scientists will present the novel infrared [laser](#) and will demonstrate its potential for spectroscopy applications. (Hall A3, Booth 121 and Hall B3, Booth 341).

Provided by Fraunhofer-Gesellschaft

Citation: Mini laser for real-time quality control (2015, June 1) retrieved 4 May 2024 from <https://phys.org/news/2015-06-mini-laser-real-time-quality.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|