

Seven new miniaturized frog species found in the Brazilian Atlantic Rainforest

June 4 2015







Two of the new species of miniaturized frog found in the Brazilian Atlantic Forest are pictured. Upper image is of *Brachycephalus auroguttatus* and lower image is of *Brachycephalus verrucosus*. Credit: Luiz Fernando Ribeiro, CC BY SA

Following nearly 5 years of exploration in mountainous areas of the southern Brazilian Atlantic Rainforest, a team of researchers has uncovered seven new species of a highly miniaturized, brightly colored frog genus known as *Brachycephalus*. Each species is remarkably endemic, being restricted to cloud forests in one or a few adjacent mountaintops, thus making them highly vulnerable to extinction, particularly due to shifts in the distribution of cloud forest due to climate change.

The Atlantic Rainforest of Brazil harbors a highly unique group of frogs that have intrigued naturalists for over a century. Known as *Brachycephalus*, these frogs are among the smallest terrestrial vertebrates, with adult sizes often not exceeding 1 cm in length, leading to a variety of changes in their body structure, such as reduction in the number of toes and fingers. In addition, many species of *Brachycephalus* are brightly colored, possibly as a warning to the presence of a highly potent neurotoxin in their skin known as tetrodotoxin.

Most species of *Brachycephalus* are highly endemic, being found exclusively on one, or a few, adjacent mountaintops. Such high levels of endemism is caused by their adaptation to a specific kind of habitat - the <u>cloud forests</u> - which simultaneously prevents them from migrating across valleys and promotes the formation of new species.

The first species of *Brachycephalus* was described in 1842 by the famous



German naturalist Johann Baptist von Spix, yet most species in the genus have been discovered only in the past decade, particularly due to their highly endemic nature and the difficulty in reaching remote montane sites. Over the course of five years of fieldwork, a team of researchers has provided the largest addition to the known diversity of *Brachycephalus*, with seven new species.

"Although getting to many of the field sites is exhausting, there was always the feeling of anticipation and curiosity about what new species could look like", said Marcio Pie, a professor at the Universidade Federal do Paraná, who led the project.



A view of the sky islands found in the south of the Brazilian Atlantic Forest



where species of Brachycephalus are found. Credit: Marcio R. Pie, CC BY-SA

Luiz Ribeiro, a research associate to the Mater Natura Institute for Environmental Studies, is optimistic about the prospects for future studies "This is only the beginning, especially given the fact that we have already found additional species that we are in the process of formally describing."

A major concern regarding the <u>new species</u> is that the same factors that led to their endemism might also be a ticket to their extinction. Cloud forests are highly sensitive to climatic changes, and the long-term preservation of these <u>species</u> might involve not only the protection of their habitats but also more direct management efforts, such as rearing in captivity.





One of the species of miniaturized frog found in the Brazilian Atlantic Forest, shows the extent of the miniaturization. Credit: Luiz Fernando Ribeiro, CC BY SA

More information: The study, titled "Seven new microendemic species of Brachycephalus (Anura: Brachycephalidae) from southern Brazil", was published today in *PeerJ*.

Provided by PeerJ



Citation: Seven new miniaturized frog species found in the Brazilian Atlantic Rainforest (2015, June 4) retrieved 25 April 2024 from https://phys.org/news/2015-06-miniaturized-frog-species-brazilian-atlantic.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.