

Team creates click-and-drag interface enabling rapid video object segmentation

June 12 2015



Click and drag real-time object tagging

Propagation of the tag to the following frames. User can easily correct the automatic propagation



Investigators at Disney Research Zurich have developed a method for achieving very accurate object segmentation of video by enabling human editors to work efficiently with state-of-the-art algorithms using a click-and-drag interface.

Segmentation, which identifies objects, backgrounds and other meaningful regions within an image or [video](#), is a necessary step for

many editing tasks and for image analysis. People can readily perceive objects and the composition of scenes despite variations in colors, lighting and contours, but despite significant advances in recent years, automatic image [segmentation](#) is still inexact.

By keeping a human in the loop, a semi-automatic segmentation system is able to achieve much higher accuracies than possible with fully automated systems, said Miquel A. Farré, associate research engineer.

The interface he and Jordi Pont-Tuset and Aljoscha Smolic developed allows human editors to work with computer software to rapidly identify the regions to be segmented in a video image and then propagate those segmentations in subsequent video frames. They will present their method at the International Workshop on Content-Based Multimedia Indexing, June 10-12 in Prague, Czech Republic.

To minimize the amount of [human interaction](#) necessary to achieve an accurate result, the researchers used an approach called segmentation hierarchy to represent images. It transforms an image from a matrix of pixels to a tree-like graph whose nodes represent regions of the images, from small detailed regions in the graph's "leaves" to the whole image in the root.

The software automatically builds these tree-like graphs and the human editor, using the click-and-drag interface, selects and annotates the combination of nodes that represent the object or other image element of interest. The software tracks these nodes - as well as the nodes that the editor avoided - in subsequent frames of the video, with the editor making corrections and adjustments as necessary. This method optimized the quality of the segmentation, they said, while minimizing the amount of human interaction.

The researchers evaluated their method by comparing its performance

with 88 sequences obtained from a standard video dataset that had been segmented by human editors. They found that the quality achieved by the semi-automatic method was similar in most cases to that of manual segmentation while requiring much less time.

More information: Semi-Automatic Video Object Segmentation by Advanced Manipulation of Segmentation Hierarchies-Paper,
[www.disneyresearch.com/wp-content ... ierarchies-Paper.pdf](http://www.disneyresearch.com/wp-content/uploads/2015/06/Semi-Automatic-Video-Object-Segmentation-by-Advanced-Manipulation-of-Segmentation-Hierarchies-Paper.pdf)

Provided by Disney Research

Citation: Team creates click-and-drag interface enabling rapid video object segmentation (2015, June 12) retrieved 17 July 2024 from
<https://phys.org/news/2015-06-team-click-and-drag-interface-enabling-rapid.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--