

When trees aren't 'green'

June 10 2015



Testing equipment was used to measure nitrogen runoff. Credit: Masaaki Chiwa.

Most of us don't consider forests a source of pollution. As natural bodies, they should be good for the environment. But a recent study in Japan shows that older cedar and cypress plantations are causing as much pollution as a poorly managed agricultural field or urban setting.

Masaaki Chiwa is the lead author of the study and an assistant professor at Kyushu University in Japan. According to Chiwa, the pollution is not the fault of the trees. It's the management of the [plantations](#). In Japan, as in other countries, natural forests usually play a significant role in maintaining water quality.

"Many Japanese cedar and Japanese cypress plantations were established

in the 1950s and 1960s—60% of those on private land," according to Chiwa. "These are not natural forests; they were meant for commercial purposes."

At the time of their planting, there was a short supply of these trees. However, an increase in imports of other woods has affected prices of Japanese cedar and cypress and led to the decline in active plantation management. The result was overcrowded land with aging trees and little to no undergrowth.

These older plantations are now a source of non-point [nitrogen pollution](#) according to the study. "Point" pollution comes from a single location; "non-point" [pollution](#) comes from a more diffuse area, such as these plantations. The [nitrogen](#) is flowing from the plantations during rainfalls or snowmelts into nearby bodies of water, causing algae blooms.

Where does all this nitrogen come from? Just like in a natural forest, needles fall from the aging trees and accumulate on the plantation floor. This is part of Mother Nature's way of recycling nutrients. Earthworms and soil microbes decompose the needles and return the nutrients to the soil. Younger growth nearby finishes the process and takes up the nutrients.



Cedar plantation on Japanese hillside is pictured. Credit: Masaaki Chiwa.

However, the age of the trees in these plantations means they are growing more slowly. They use fewer nutrients from the soil than younger trees, including nitrogen. Furthermore, crowding of the [trees](#) means there is too much shade to encourage new growth. This prevents a new, healthy understory that would use the nitrogen (and other nutrients) from the soil. Because the plants are not using the nutrients, the nutrients form runoff heading to the streams.

Since cedar and cypress plantations account for 30% of the forestland in Japan, the findings of this study are significant. Chiwa and his team would recommend that the plantation land be thinned and returned to a more [natural forest](#) state.

As part of another project, some landowners thinned plantations in 2012. To verify that the thinning will reduce runoff, Chiwa and his team are now measuring the amount of nitrogen flowing from the plantations. "We have been measuring water quality to evaluate the effect of forest thinning on water quality including nitrogen loss."

Hopefully, better management will bring these plantations back to a less-crowded, more natural state, and restore their ability to clean water rather than pollute it.

[The study](#) was published in the *Journal of Environmental Quality*.

Provided by American Society of Agronomy

Citation: When trees aren't 'green' (2015, June 10) retrieved 4 May 2024 from
<https://phys.org/news/2015-06-trees-green.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.