


Brown dwarf stars host powerful aurora displays, astronomers discover

July 29 2015



Artist's impression of the aurorae on the brown dwarf LSR J1835+3259. Credit:

Chuck Carter and Gregg Hallinan/Caltech

Brown dwarf stars host powerful aurora displays just like planets, astronomers have discovered.


The so-called failed stars, which are difficult to detect and also remain hard to classify, are too massive to be planets but physicists from the Universities of Sheffield and Oxford have revealed that they host powerful auroras just like Earth.

The international team of researchers made the discovery by observing a brown dwarf 20 light years away using both radio and optical telescopes. Their findings provide further evidence that suggests these stars act more like supersized planets.

Dr Stuart Littlefair, from the University of Sheffield's Department of Physics and Astronomy, said: "Brown dwarfs span the gap between stars and planets and these results are yet more evidence that we need to think of brown dwarfs as beefed-up planets, rather than "failed stars".

"We already know that brown dwarfs have cloudy atmospheres - like planets - although the clouds in brown dwarfs are made of minerals that form rocks on Earth now we know [brown dwarfs](#) host powerful auroras too."

He added: "Sometimes the best thing about a scientific result is simply the thrill of discovering something exciting and cool. The northern lights on Earth are one of the most spectacular and beautiful things you can see.



Artist's impression of the aurorae on the brown dwarf LSR J1835+3259. Credit:

Chuck Carter and Gregg Hallinan/Caltech

"I've always wanted to see them, but have never got the chance. It's particularly ironic that I got to discover an auroral light show which is vastly more powerful and many light years away!"

Auroral displays result when charged particles manage to enter a planet's magnetic field. Once within the magnetosphere, those particles get accelerated along the planet's magnetic field lines to the planet's poles where they collide with gas atoms in the atmosphere, producing the bright emissions associated with auroras.

During the study the international research team, led by Professor Gregg Hallinan from the California Institute of Technology, conducted an extensive observation campaign of a brown dwarf called LSRJ1835+3259.

The team used the most powerful radio telescope in the world, the National Radio Astronomy Observatory's Karl G. Jansky Very Large Array (JVLA) in New Mexico, as well as [optical telescopes](#) including Palomar's Hale Telescope and the W.M Keck Observatory's telescopes to make their ground breaking observations.

Using the JVLA they detected a bright pulse of radio waves that appeared as the brown dwarf rotated around. The object rotates every 2.84 hours, so the team were able to watch nearly three full rotations over the course of a single night.

The astronomers worked with the Hale Telescope and observed the brown dwarf varied optically on the same period as the radio pulses. The team found that the object's brightness varied periodically, indicating

that there was a bright feature on the brown dwarf's surface. Dr Garret Cotter, from the University of Oxford, who also took part in the study said: "It was incredibly exciting to track the optical light from the aurora during the night with the Hale Telescope in California, one of the most venerable telescopes in the world, while simultaneously tracking the radio emission with the JVLA, one of the world's newest radio telescopes."

Finally, the researchers used the Keck telescopes to precisely measure the brightness of the brown dwarf over time which was no simple feat given that these objects are extremely faint, many thousands of times fainter than our own Sun. The astronomers determined that the bright optical feature was likely to be caused by electrons hitting the hydrogen-dominated atmosphere of the brown dwarf to produce auroras.

The findings from the study, published in the journal *Nature* offer astronomers a convenient stepping stone for further study into exoplanets, planets orbiting stars other than our own sun.

Dr Cotter said: "In science, new knowledge often challenges our understanding. We know how controversial the situation was with Pluto, where astronomers had to look hard to try to decide if it is fundamentally one of the major planets of the solar system, or the first of the Kuiper Belt objects. Now, up at the other end of the size scale, we are challenged by seeing objects that traditionally would have been classified as stars, but seem to be showing more and more properties that make them look like super-sized [planets](#)."

More information: *Nature*, [DOI: 10.1038/nature14619](https://doi.org/10.1038/nature14619)

Provided by University of Sheffield

Citation: Brown dwarf stars host powerful aurora displays, astronomers discover (2015, July 29)
retrieved 23 April 2024 from
<https://phys.org/news/2015-07-brown-dwarf-stars-host-powerful.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.